



H.B. Fuller

Medical Adhesive Technologies

Histoacryl® Topical Skin Adhesive - Research, Evidence and Abstracts (Updated: 06/2024)

	Title	Author
1	The use of N-butyl-2-cyanoacrylate (Histoacryl) in primary tendon repair: a biomechanical study with sheep flexor tendons.	<u>Oztuna V, Yilmaz A, Yilmaz C, Eskandari MM, Ayan I, Milcan A, Kuyurtar F.</u>
2	Endoscopic treatment of oesophageal fistulae with glue injections (cyanoacrylate, Histoacryl)	<u>Samalin E, Audin H, Senesse P.</u>
3	Prenatal embolisation of a large chorioangioma using embucrilate.	<u>Lau TK, Yu SC, Leung TY, To KF, Fung TY, Leung TN.</u>
4	Physical and biological properties of a novel siloxane adhesive for soft tissue applications	<u>Wilson DJ, Chenery DH, Bowering HK, Wilson K, Turner R, Maughan J, West PJ, Ansell CW.</u>
5	Endovascular treatment of persistent epistaxis due to pseudoaneurysm formation of the ophthalmic artery secondary to nasogastric tube	<u>Selcuk H, Soyulu N, Albayram S, Selcuk D, Ozer H, Kocer N, Islak C.</u>
6	Treatment of deep brain arteriovenous malformations	<u>Majchrzak H, Kopera M, Majchrzak K, Tomalski W.</u>
7	Double-coated poly (butylcyanoacrylate) nanoparticulate delivery systems for brain targeting of dalargin via oral administration.	<u>Das D, Lin S.</u>
8	Esophageal sinus formation as a complication of cyanoacrylate injection	<u>Wai CT, Sutedja DS, Khor CJ, Teoh KF, Yeoh KG.</u>
9	Ventricular/paraventricular small arteriovenous malformations: role of embolisation with cyanoacrylate	<u>Oran I, Parildar M, Derbent A.</u>
10	Use of cyanoacrylate in skin closure for ovariohysterectomy in a population control programme	<u>Faria MC, de Almeida FM, Serrao ML, de Oliveira Almeida NK, Labarthe N.</u>
11	Endoscopic Treatment of Upper Gastrointestinal Bleeding	<u>Hui AJ, Sung JJ.</u>
12	Percutaneous sacroplasty for hemorrhagic metastases from hepatocellular carcinoma	<u>Uemura A, Matsusako M, Numaguchi Y, Oka M, Kobayashi N, Niinami C, Kawasaki T, Suzuki K.</u>
13	Cellular, histomorphologic, and clinical characteristics of a new octyl-2- cyanoacrylate skin adhesive	<u>Nitsch A, Pabyk A, Honig JF, Verheggen R, Merten HA.</u>
14	Life-threatening pericarditis after N-butyl-2-cyanoacrylate injection for esophageal variceal bleeding: Case report.	<u>Chen YY, Shen TC, Soon MS, Lai JH.</u>
15	Splenic infarction complicated by splenic artery occlusion after N-butyl-2-cyanoacrylate injection for gastric varices: case report	<u>Yu LK, Hsu CW, Tseng JH, Liu NJ, Sheen IS.</u>
16	Clinical evaluation of random skin flaps based on the subdermal plexus secured with sutures or sutures and cyanoacrylate adhesive for reconstructive surgery in dogs.	<u>De Carvalho Vasconcellos CH, Matera JM, Zaidan Dagli ML.</u>
17	Analysis on the prognostic factors in patients with large hepatocarcinoma treated by shentao ruangan pill and hydroxycamptothecine	<u>Lin LZ, Zhou DH, Liu K, Wang FJ, Lan SQ, Ye XW.</u>

18	Endovascular treatment of renal arteriovenous malformations	<u>Chatziioannou A, Mourikis D, Kalaboukas K, Ladopoulos Ch, Maqoufis G, Primetis E, Katsenis K, Vlahos L.</u>
19	Preoperative embolization of thyroid arteries in a patient with large multinodular goiter and papillary carcinoma	<u>Ramos HE, Braga-Basaria M, Haquin C, Mesa CO, Noronha L, Sandrini R, Carvalho Gde A, Graf H.</u>
20	Loading efficiency of stavudine on polybutylcyanoacrylate and methylmethacrylate-sulfopropylmethacrylate copolymer nanoparticles.	<u>Kuo YC.</u>
21	Radiology quiz case 1. Extracranial internal carotid artery (EICA) pseudoaneurysm	<u>Suslu AE, Elsurer C, Unal OF.</u>
22	Transcatheter embolization of a coronary fistula originating from the left anterior descending artery by using n-butyl 2-	<u>Karagoz T, Celiker A, Cil B, Cekirge S.</u>
23	Lichtenstein inguinal hernioplasty using butyl-2-cyanoacrylate versus sutures. Preliminary experience of a prospective	<u>Nowobilski W, Dobosz M, Wojciechowicz T, Mionskowska L.</u>
24	Direct percutaneous embolization of a carotid body tumor with n-butyl cyanoacrylate: an alternative method to endovascular embolization	<u>Harman M, Etlík O, Unal O.</u>
25	Ultrasound-guided glue injection as alternative treatment of femoral pseudoaneurysms	<u>Aytekin C, Firat A, Yildirim E, Kirbas I, Boyvat F.</u>
26	Histoacryl windowtext versus sutured left colonic anastomosis: experimental study	<u>Ozmen MM, Ozalp N, Zulfikaroglu B, Abbasoglu L, Kacar A, Seckin S, Koc M.</u>
27	Re: Transportal intravariceal sclerotherapy with N-butyl-2-cyanoacrylate for gastric varices	<u>Matsumoto A, Takimoto K.</u>
28	Tissue adhesives for a sutureless fadenoperation: an experimental study in a rabbit model	<u>Tonelli E Jr, de Almeida HC, Bambilra EA.</u>
29	Improved synthesis, antibacterial activity and potential carcinogenicity of 5- amino-1 ,2,4-thiadiazol-3(2H)-one	<u>Piskala A, Vachalkova A, Masojidkova M, Horvathova K, Ovesna Z, Paces V, Novotny L.</u>
30	Radiopaque pulmonary arteries on chest radiography	<u>Marco de Lucas E, Fidalgo I, Garcia-Baron PL, Sadaba P, Delgado ML, Lopez-Calderon M.</u>
31	N-butylcyanoacrylate embolization of a middle meningeal artery aneurysm in a patient with neurofibromatosis type 2.	<u>Lesley WS, Thomas MR, Abdulrauf SI.</u>
32	Endoscopic management of Dieulafoy lesions in acute nonvariceal upper gastrointestinal bleeding	<u>Cheng CL, Liu NJ, Lee CS, Chen PC, Ho YP, Tang JH, Yang C, Sung KF, Lin CH, Chiu CT.</u>
33	Use of the n-butyl cyanoacrylate adhesive and the polyglactine thread suture for corneal rhapsy in rabbit (<i>Oryctolagus cunicullus</i>).	<u>Mota FC, Eurides D, Freitas PM, Beletti ME, Goulart MR, Cunha LM, da Silva LA, Fioravanti MC.</u>
34	Complete obliteration of intracranial arteriovenous malformation with endovascular cyanoacrylate embolization: initial success and rate of permanent cure	<u>Yu SC, Chan MS, Lam JM, Tam PH, Poon WS.</u>
35	Neurophysiologic monitoring and pharmacologic provocative testing for embolization of spinal cord arteriovenous malformation	<u>Niimi Y, Sala F, Deletis V, Setton A, de Camargo AB, Berenstein A.</u>
36	Clinical experience with butyl-2-cyanoacrylate adhesive in the management of canine and feline corneal disease	<u>Watte CM, Elks R, Moore DL, McLellan GJ.</u>
37	Adhesive bonds or percutaneous absorbable suture for closure of surgical wounds in children. Results of a prospective randomized trial.	<u>van den Ende ED, Vriens PW, Allema JH, Breslau PJ.</u>

38	Randomized double-blind studies of polysaccharide gel compared with glue and other agents for hemostasis of large veins and bleeding canine esophageal or gastric varices	Jensen DM, Machicado GA, Hirabayashi K.
39	Closure of skin incisions in rabbits by laser soldering II: Tensile strength	Brosh T, Simhon D, Halpern M, Ravid A, Vasilyev T, Kariv N, Nevo Z, Katzir A.
40	Influence of polymerization technique and experimental variables on the particle properties and release kinetics of methotrexate from poly(butylcyanoacrylate) nanoparticles	Reddy LH, Murthy RR.
41	Preparation of magnetic polybutylcyanoacrylate nanospheres encapsulated with aclacinomycin A and its effect on gastric tumor	Gao H, Wang JY, Shen XZ, Deng YH, Zhang W.
42	Aneurysmal bone cysts in children: complications of fibrosing agent injection.	Topouchian V, Mazda K, Hamze B, Laredo JD, Pennecot GF.
43	Endovascular embolization of recurrent traumatic carotid-cavernous fistulas managed previously with detachable balloons	Luo CB, Teng MM, Yen DH, Chang FC, Limg JF, Chang CY.
44	Physicochemical characterisation of cationic polybutylcyanoacrylate-	Weyermann J, Lochmann D, Georgens C, Rais I, Kreuter J, Karas M, Wolkenhauer M, Zimmer A.
45	Study on the role of 5-fluorouracil in the polymerization of butylcyanoacrylate during the formation of nanoparticles	Simeonova M, Velichkova R, Ivanova G, Enchev V, Abrahams I.
46	Stability and ocular tolerance of cyclophosphamide-loaded nanospheres	Salgueiro A, Egea MA, Espina M, Valls O, Garcia ML.
47	Facial wound closure with butyl 2-cyanoacrylate	Doner F, Sari I.
48	Inflammatory tumor in pancreatic tail induced by endoscopic ablation with cyanoacrylate glue for gastric varices	Sato T, Yamazaki K, Toyota J, Karino Y, Ohmura T, Suga T.
49	Spontaneous scalp arteriovenous fistula in a child with hartnup disease	Kim DM, Benndorf G, Von Moers A, Campi A, Lehmann TN.
50	Septic complications after injection of N-butyl-2-cyanoacrylate: report of two cases and review	Wahl P, Lammer F, Conen D, Schlumpf R, Bock A.
51	Comparison of the bond strength of selected adhesive dental systems to cortical bone under in vitro conditions	Maurer P, Bekes K, Gernhardt CR, Schaller HG, Schubert J.
52	Massive pulmonary embolism after endoscopic therapy for gastric variceal bleeding	Witthoft T, Homann N, Dodt C, Ludwig D.
53	Transportal intravariceal sclerotherapy with N-butyl-2-cyanoacrylate for gastric varices.	Kiyosue H, Matsumoto S, Yamada Y, Hori Y, Okino Y, Okahara M, Mori H.
54	Transgastric laparoscopic approach for resection of hemorrhagic Dieulafoy's vascular malformation	Proske JM, Vons C.
55	Tissue adhesives for closure of surgical incisions	Coulthard P, Worthington H, Esposito M, Elst M, Waes OJ.
56	Distal embolization and local vessel wall ulceration after gastric variceal obliteration with N-butyl-2-cyanoacrylate: a case report and review of the literature	Kok K, Bond RP, Duncan IC, Fourie PA, Ziady C, van den Bogaerde JB, van der Merwe SW.
57	Percutaneous sclerotherapy for the treatment of soft-tissue venous malformations: a retrospective study of 68 patients	Blum L, Gallas S, Cottier JP, Sonier Vinikoff CB, Lorette G, Herbreteau D.
58	Endovascular management of a mandibular arteriovenous malformation in a patient with severe hemophilia a	Benndorf G, Kim DM, Menneking H, Klein M.
59	In vitro degradation of insulin-loaded poly (n-butylcyanoacrylate) nanoparticles	Sullivan CO, Birkinshaw C.

60	Tissue glue for pancreatic fistula	Haber GB., Seewald S, Brand B, Groth S, Omar S, Mendoza G,
61	Endoscopic sealing of pancreatic fistula by using N-butyl-2-cyanoacrylate	Seitz U, Yasuda I, Xikun H, Nam VC, Xu H, Thonke F, Soehendra N.
62	Therapeutic effect of the endoscopic N-butyl-2-cyanoacrylate injection for acute esophagogastric variceal bleeding: comparison with transjugular intrahepatic portosystemic shunt	Noh du Y, Park SY, Joo SY, Park CH, Lee WS, Joo YE, Kim HS, Choi SK, Rew JS, Kim SJ.
63	Endovascular treatment of a congenital dural caroticocavernous fistula.	Albayram S, Selcuk H, Ulus S, Selcuk D, Kocer N, Islak C.
64	Comparison of scanning electron microscopy, dynamic light scattering and analytical ultracentrifugation for the sizing of poly(butyl cyanoacrylate) nanoparticles	Bootz A, Vogel V, Schubert D, Kreuter J.
65	Antitumor activity of mitoxantrone-nanosphere against murine liver tumor H22	Yang YX, Zhu L, He X, Bao DY, Bao X.
66	Human recombinant interferon-alpha 2a polybutylcyanoacrylate sustained release lyophilized nanospheres for liver-targeting	Lu B, Feng JF, Yang XC.
67	Tensile bond strength of different adhesive systems between bone and composite compared: an in vitro study	Maurer P, Bekes K, Gernhardt CR, Schaller HG, Schubert J.
68	Preparation and characterization of polybutylcyanoacrylate	Ren F, Chen JH, Jiang YD, Chen ZL.
69	The use of N-butyl cyanoacrylate (indermil) in lateral tarsorrhaphy	Voon LW, Chua CN, Hanson R.
70	Dieulafoy's lesion of the esophagus correctly diagnosed and successfully treated by the endoscopic injection of N-butyl-2-cyanoacrylate	Yoshida T, Adachi K, Tanioka Y, Sasaki T, Ono S, Hanada H, Esaki T, Yagawa T, Takeo S, Saiki Y, Harada T, Okita K.
71	Intracranial pial arteriovenous fistulas with single-vein drainage. Report of three cases and review of the literature.	Wang YC, Wong HF, Yeh YS.
72	Value of transcatheter arterial embolization with coils and n-butyl cyanoacrylate for long-term hepatic arterial infusion	Yamagami T, Kato T, Iida S, Tanaka O, Nishimura T.
73	Endovascular treatment of intracranial arterio-venous malformations with Onyx embolization: preliminary experience.	Florio F, Lauriola W, Nardella M, Strizzi V, Vallone S, Trossello MP.
74	Efficacy of ultrasonic tissue dissector and tissue glue for laparoscopic partial nephrectomy in a porcine model.	Huang SH, Chiu AW, Lin CH, Liu CJ, Huan SK, Lee BS, Lin WL, Wu ST, Vijayan R, Lin ZN.
75	N-butyl cyanoacrylate glue embolization of splenic artery aneurysms	Kim BS, Do HM, Razavi M.
76	Cost-effectiveness of N-butyl-2-cyanoacrylate (histoacryl) glue injections versus transjugular intrahepatic portosystemic shunt in the management of acute gastric variceal bleeding.	Mahadeva S, Bellamy MC, Kessel D, Davies MH, Millson CE.
77	Treating a recurrent uterine arteriovenous malformation with uterine artery embolization. A case report	Chan CC, Chu F, Pun TC.
78	N-butyl 2-cyanoacrylate injection via pancreatic collaterals to occlude splenic artery distal to large splenic aneurysm after proximal coil embolization	Ishimaru H, Murakami T, Matsuoka Y, Sakamoto I, Koshiishi T, Hayashida M, Fujimoto T, Hayashi K.
79	Hemostatic effect of n-butyl-2-cyanoacrylate (histoacryl) glue in warfarin- treated patients undergoing oral surgery	Al-Belasy FA, Amer MZ.

80	A prospective randomized controlled clinical trial comparing the effects of somatostatin and vasopressin for control of acute variceal bleeding in the patients with liver cirrhosis.	<u>Lee HY, Lee HJ, Lee SM, Kim JH, Kweon SW, Lee BS, Kim NJ.</u>
81	Intractable pneumothorax for pleuritis carcinomatosa effectively treated with bronchial embolization: report of a case	<u>Arano Y, Oyama K, Shibahara K, Tomita Y, Nozaki Z, Sasaki M, Oda M.</u>
82	Cytotoxic effects of cyanoacrylates used as retrograde filling materials: an in vitro analysis	<u>de Azevedo CL, Marques MM, Bombana AC.</u>
83	Initial successful management of type I endoleak after endovascular aortic aneurysm repair with n-butyl cyanoacrylate	<u>Maldonado TS, Rosen RJ, Rockman CB, Adelman MA, Bajakian D, Jacobowitz GR, Riles TS, Lamparello PJ.</u>
84	Preparation of albendazole polybutyrcyanoacrylate nanoparticles and study on its pharmaceutical properties and tissue distribution	<u>Zhang XN, Zhang Q, Wen H, Wang GQ, Sun DJ.</u>
85	Technical feasibility of embolizing aneurysms with glue (N-butyl 2-cyanoacrylate)	<u>Suh DC, Kim KS, Lim SM, Shi HB, Choi CG, Lee HK, Seo DM.</u>
86	Endoscopic treatment of tracheo-esophageal fistulas: fact or	<u>Broto J, Asensio M, Vernet JM, Gine C, Cedeno R.</u>
87	Drug delivery to the brain with nanoparticles	<u>Aliautdin RN, Kreuter J, Kharkevich DA.</u>
88	The research on IR and TEM of polybutylcyanoacrylate	<u>Li X, Zhu YF, Zhao MJ.</u>
89	Poly(butylcyanoacrylate) nanoparticles for topical delivery of 5-fluorouracil	<u>Simeonova M, Velichkova R, Ivanova G, Enchev V, Abrahams I.</u>
90	Calyceal fistula in a renal allograft treated with N-Butyl-2-cyanoacrylate.	<u>Riera Canals L, Arbelaez Arango S, Gonzalez-Satue C, Sancho C, Dominguez J, Buisan Rueda O, Serrallach Mila N.</u>
91	Poly n-butylcyanoacrylate (PNBCA) nanocapsules as a carrier for NSAIDs: in vitro release and in vivo skin penetration.	<u>Miyazaki S, Takahashi A, Kubo W, Bachynsky J, Loebenberg R.</u>
92	Endoscopic histoacryl obliteration vs. propranolol in the prevention of	<u>Evrard S, Dumonceau JM, Delhaye M, Golstein P, Deviere J, Le Moine O.</u>
93	Effect of surfactant on fabrication and characterization of paclitaxel-loaded polybutylcyanoacrylate nanoparticulate delivery	<u>Mitra A, Lin S.</u>
94	Which tissue adhesive for wounds?	<u>Doraiswamy NV, Baig H, Hammett S, Hutton M.</u>
95	Echoscintigraphy: a new imaging modality for the reduction of color blooming and acoustic shadowing in contrast sonography.	<u>Schlosser T, Pohl C, Kuntz-Hehner S, Omran H, Becher H, Tiemann K.</u>
96	Emergency endovascular embolization of traumatic intrarenal arterial pseudoaneurysms with N-butyl cyanoacrylate.	<u>Cantademir M, Adaletli I, Cebi D, Kantarci F, Selcuk ND, Numan F.</u>
98	Transjugular preoperative portal embolization (TJPE) a pilot study.	<u>Perarnau JM, Daradkeh S, Johann M, Deneuille M, Weinling P, Coniel C.</u>
99	Clinical experience with N-butyl cyanoacrylate tissue adhesive in fungal keratitis.	<u>Garg P, Gopinathan U, Nutheti R, Rao GN.</u>
100	Sclerotherapy in aneurysmal bone cysts in children: a review of 17 cases.	<u>Dubois J, Chigot V, Grimard G, Isler M, Garel L.</u>
101	Using tissue adhesives for closure of periareolar incisions in breast reduction surgery.	<u>Yavuzer R, Basterzi Y, Tuncer S.</u>
102	Transjugular preoperative portal embolization (TJPE) a pilot study.	<u>Perarnau JM, Daradkeh S, Johann M, Deneuille M, Weinling P, Coniel C.</u>
103	Clinical experience with N-butyl cyanoacrylate tissue adhesive in fungal keratitis.	<u>Garg P, Gopinathan U, Nutheti R, Rao GN.</u>
104	Sclerotherapy in aneurysmal bone cysts in children: a review of 17 cases.	<u>Dubois J, Chigot V, Grimard G, Isler M, Garel L.</u>

105	Otogenic pneumocephalus management with butyl 2-	<u>Doner F, Dogru H, Yariktas M, Kerman M, Kalkan E.</u>
106	Enhanced activity of rifampicin loaded with polybutyl cyanoacrylate nanoparticles in relation to intracellularly localized	<u>Skidan IN, Gel'perina SE, Severin SE, Guliaev AE.</u>
107	Use of different endovascular treatments for arteriovenous malformations of the spinal cord	<u>Tissen TP.</u>
108	Scaffold-enhanced albumin and n-butyl-cyanoacrylate adhesives for tissue repair: ex vivo evaluation in a porcine model.	<u>McNally-Heintzelman KM, Riley JN, Heintzelman DL</u>
109	Efficacy and low vascular toxicity of embolization with radical versus anionic polymerization of n-butyl-2-cyanoacrylate (NBCA). An experimental study in the swine.	<u>Levrier O, Mekkaoui C, Rolland PH, Murphy K, Cabrol P, Moulin G, Bartoli JM, Raybaud C.</u>
110	Embolization of supratentorial angiomas. Own experience	<u>Kolasa P, Kaurzel Z.</u>
111	Pulsed field gradient NMR on polybutylcyanoacrylate	<u>Wohlgemuth M, Mayer C.</u>
112	Veno-occlusive dysfunction as a cause of erectile impotence: therapy of venous leak with retrograde embolization of the internal pudendal vein	<u>Basche S, Eger C, Elsebach K, Ulshofer B.</u>
113	Direct evidence that polysorbate-80-coated poly(butylcyanoacrylate) nanoparticles deliver drugs to the CNS via specific mechanisms requiring prior binding of drug to the nanoparticles	<u>Kreuter J, Ramge P, Petrov V, Hamm S, Gelperina SE, Engelhardt B, Alyautdin R, von Briesen H, Begley DJ.</u>
114	Use of a wedged microcatheter for curative transarterial embolization of complex intracranial dural arteriovenous fistulas: indications, endovascular technique, and outcome in 24 patients	<u>Nelson PK, Russell SM, Woo HH, Alastra AJ, Vidovich DV.</u>
115	Endobronchial closure of postoperative bronchopleural fistula using vascular occluding coils and n-butyl-2-cyanoacrylate.	<u>Hirata T, Ogawa E, Takenaka K, Uwokawa R, Fujisawa I.</u>
116	Transcatheter arterial embolization with n-butyl 2-cyanoacrylate (hystoacryl) for renal arteriovenous malformation: case report	<u>Nakai M, Nakamura N, Suzuki Y, Akino H, Kanemaru H, Yokoyama O.</u>
117	Left ventricular free wall rupture: off-pump sutureless patch and glue technique.	<u>Mariani MA, D'Alfonso A, Nardi C, Grandjean JG.</u>
118	Surgical handling characteristics of an ethylene vinyl alcohol copolymer compared with N-butyl cyanoacrylate used for embolization of vessels in an arteriovenous malformation resection model in swine.	<u>Akin ED, Perkins E, Ross IB.</u>
119	Simple, painless, cosmetic closure of endaural incisions.	<u>Bhalla RK, Lesser TH.</u>
120	Endoscopic obliteration of a recurrent tracheoesophageal fistula with enbucrilate and polidocanol in a child.	<u>Lopes MF, Pires J, Nogueira Brandao A, Reis A, Morais Leitao L.</u>
121	Fibrin glue versus N-butyl-2-cyanoacrylate in corneal perforations.	<u>Sharma A, Kaur R, Kumar S, Gupta P, Pandav S, Patnaik B, Gupta A.</u>
122	Electron microscopic analysis of nanoparticles delivering thioflavin-T after intrahippocampal injection in mouse: implications for targeting beta-amyloid in Alzheimer's disease.	<u>Hartig W, Paulke BR, Varga C, Seeger J, Harkany T, Kacza J.</u>
123	Treatment of a primary type IA endoleak with a liquid embolic system under conditions of aortic occlusion.	<u>Kirby L, Goodwin J.</u>
124	Variceal bleeding and portal hypertension: has there been any progress in the last 12 months?	<u>Seewald S, Mendoza G, Seitz U, Salem O, Soehendra N.</u>
125	Hemobilia caused by a mycotic aneurysm of the hepatic artery treated by enbucrilate injection during ERCP.	<u>Ferrari AP, Ferreira JP, de Paulo GA, Libera ED Jr.</u>

126	Radiologic placement of side-hole catheter with tip fixation for hepatic arterial infusion chemotherapy.	<u>Tanaka T, Arai Y, Inaba Y, Matsueda K, Aramaki T, Takeuchi Y, Kichikawa K.</u>
127	Use of various endovascular methods of treating arteriovenous malformations of the spinal cord	<u>Tissen TP.</u>
128	What is the best method of treatment for gastric fundal varices without active bleeding?	<u>Matsumoto A, Matsumoto H, Yamauchi H.</u>
129	Bleeding duodenal varices after gastroesophageal varices ligation: a case report.	<u>Wu WC, Wang LY, Yu FJ, Wang WM, Chen SC, Chuang WL, Chang WY.</u>
130	Embolization of visceral pseudoaneurysms with platinum coils and N-butyl cyanoacrylate.	<u>Parildar M, Oran I, Memis A.</u>
131	Embolization of hepatic hemangiomas in infants.	<u>Kullendorff CM, Cwikiel W, Sandstrom S.</u>
132	Advanced management of congenital vascular malformations: a multidisciplinary approach.	<u>Lee BB, Bergan JJ.</u>
133	Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate.	<u>Seewald S, Groth S, Sriram PV, Xikun H, Akaraviputh T, Mendoza G, Brand B, Seitz U, Thonke F, Soehendra N.</u>
134	The use of the tissue adhesive enbucrilate (histoacryl) in the treatment of symptomatic nephroptosis.	<u>Gyftopoulos KI, Fokaefs E, Barbalias GA.</u>
135	Tissue response to N-butyl-2-cyanoacrylate after percutaneous injection into cutaneous vascular lesions.	<u>Canter HI, Vargel I, MavIII ME, Gokoz A, Erk Y.</u>
136	Using n-butyl cyanoacrylate and the fixed-catheter-tip technique in percutaneous implantation of a port-catheter system in patients undergoing repeated hepatic arterial chemotherapy.	<u>Yamagami T, Iida S, Kato T, Tanaka O, Hirota T, Nakamura T, Nishimura T.</u>
137	Cyanoacrylate glue in gastric variceal bleeding.	<u>Seewald S, Sriram PV, Naga M, Fennerty MB,</u>
138	Endoscopic retrograde cholangiopancreatography.	<u>Francois E, Deviere J.</u>
139	The relationship between ostial patency and medical treatment in acute maxillary sinusitis: an experimental study	<u>Kutluhan A, Inalkac E, Kiroglu AF, Akpolat N, Kiris M.</u>
140	Study on the effect of polybutyl-2-cyanoacrylate nanoparticles and their metabolites on the phagocytic activity of peritoneal exudate cells of mice.	<u>Simeonova M, Antcheva M, Chorbadjiev K.</u>
141	Esophageal varices in Sudan.	<u>Fedail SS.</u>
142	Episiotomy closure comparing enbucrilate tissue adhesive with conventional sutures.	<u>Bowen ML, Selinger M.</u>
143	Effect of partial targeted N-butyl-cyano-acrylate embolization in brain AVM.	<u>Meisel HJ, Mansmann U, Alvarez H, Rodesch G, Brock M, Lasjaunias P.</u>
144	Early closure of fistula after hypospadias surgery using N-butyl cyanoacrylate: preliminary results.	<u>Lapointe SP, N-Fekete C, Lortat-Jacob S.</u>
145	Transdural blood supply to cerebral arteriovenous malformations adjacent to the dura mater.	<u>Soderman M, Rodesch G, Lasjaunias P.</u>
146	The in vitro release kinetics of Daunorubicin polybutylcyanoacrylate nanoparticles	<u>Peng Y, Liao G, Zhang Z.</u>
147	Use of tissue adhesives in the management of paediatric	<u>Mattick A.</u>

148	Endoscopic sclerotherapy of gastric variceal bleeding with N-butyl-2-cyanoacrylate.	Dhiman RK, Chawla Y, Taneja S, Biswas R, Sharma TR, Dilawari JB.
149	Structural analysis of nanocapsules by nuclear magnetic	Mayer C, Hoffmann D, Wohlgemuth M.
150	Laser disintegration of cyanoacrylate clot with successful endoscopic removal of sclerotherapy needle from gastric varix.	Lorenz A, Stadler N, Schulz HJ.
151	Pharmacologic efficacy in gastric variceal rebleeding and survival: including multivariate analysis.	Wu CY, Yeh HZ, Chen GH.
152	Emergent treatment of a primary aortoenteric fistula with N-butyl 2-cyanoacrylate and endovascular stent.	Finch L, Heathcock RB, Quigley T, Jiranek G, Robinson D.
153	Percutaneous embolization of mandibular hemangioma: a case report.	Jayakumar PN, Desai SV, Kovoor JM, Vasudev MK.
154	Direct-puncture embolization of intraosseous arteriovenous malformation of jaws.	Fan X, Zhang Z, Zhang C, Tang Y, Hu Y, Mao Q, Qiu W.
155	New techniques: combined endoscopic injection sclerotherapy and ligation for acute bleeding from gastric varices.	Yoshida H, Onda M, Tajiri T, Mamada Y, Taniai N, Mineta S, Yoshioka M, Hirakata A, Yamashita K.
156	Tissue adhesives for traumatic lacerations in children and adults.	Farion K, Osmond MH, Hartling L, Russell K.
157	Experimental study of Eudragit mixture as a new nonadhesive liquid embolic material.	Shi Z, Huang Z, Zhang Y, Qi T, Chu M, Bao D.
158	Comparison of tissue adhesive and suturing in the repair of lacerations in the emergency department.	Goktas N, Karcioğlu O, Coskun F, Karaduman S, Menderes A.
159	Assessment of regional lung ventilation in dog lungs with Gd-DTPA aerosol ventilation MR imaging.	Suga K, Ogasawara N, Tsukuda T, Matsunaga N.
160	Distal glue embolization in a patient with gastrointestinal	Slaba S, Nassar J, Murr TE, Saba M, Ghayad E.
161	Effect of glacial acetic acid and ethiodized oil concentration on embolization with N-butyl 2-cyanoacrylate: an in vivo investigation.	Gounis MJ, Lieber BB, Wakhloo AK, Siekmann R, Hopkins LN.
162	The current status of tissue glues: I. For bone fixation.	Gosain AK; Plastic Surgery Educational Foundation DATA Committee.
163	Emergency endovascular management of pulmonary artery aneurysms in Behcet's disease: report of two cases and a review of the literature.	Cantademir M, Kantarci F, Mihmanli I, Akman C, Numan F, Islak C, Bozkurt AK.
164	Study on liver targeted valaciclovir polybutylcyanoacrylate nanoparticles	Zhang Z, He Q.
165	N-butyl cyanoacrylate embolization of cerebral arteriovenous malformations: results of a prospective, randomized, multi-center trial.	n-BCA Trail Investigators.
166	A randomized controlled trial of cyanoacrylate versus alcohol injection in patients with isolated fundic varices.	Sarin SK, Jain AK, Jain M, Gupta R.
167	Hair tying as a method of scalp wound closure.	Dheansa B, Overstall S.
168	Cyanoacrylate tissue adhesive for treatment of refractory corneal ulceration.	Bromberg NM.
169	2-Octyl-cyanoacrylate (Dermabond), a new glue for variceal injection therapy: results of a preliminary animal study.	Nguyen AJ, Baron TH, Burgart LJ, Leontovich O, Rajan E, Gostout CJ.
170	Acute spontaneous hemorrhage after embolization of brain arteriovenous malformation with N-butyl cyanoacrylate.	Picard L, Da Costa E, Anxionnat R, Macho J, Bracard S, Per A, Marchal JC.
171	Catheter-tip fixation of a percutaneously implanted port-catheter system to prevent dislocation.	Yamagami T, Nakamura T, Yamazaki T, Iida S, Kato T, Nishimura T.

172	Pre-operative embolization of auricular arteriovenous fistula.	<u>Bapuraj JR, Bilwani R, Khandelwal N, Gupta AK, Nehru VI, Suri S.</u>
173	Combined therapy of cerebral arteriovenous malformations: histological differences between a non-adhesive liquid embolic agent and n-butyl 2- cyanoacrylate (NBCA).	<u>Duffner F, Ritz R, Bornemann A, Freudenstein D, Wiendl H, Siekmann R.</u>
174	Peripheral aneurysms of the lateral posterior choroidal artery: clinical	<u>Weigele JB, Chaloupka JC, Lesley WS, Mangla S, Hitchon PW, VanGilder JC, Adams HP Jr.</u>
175	Recurrent torticollis caused by dissecting vertebral artery aneurysm in a pediatric patient: results of endovascular treatment by use of coil embolization: case report.	<u>Grosso S, Mostardini R, Venturi C, Bracco S, Casasco A, Berardi R, Balestri P.</u>
176	Refractory carotid-cavernous fistula: causes and	<u>Wang D, Ling F, Li M, Zhang H, Miu Z, Song Q, Li X, Hao M.</u>
177	Long-term results of endoscopic Histoacryl injection sclerotherapy for gastric variceal bleeding: a 10-year experience.	<u>Akahoshi T, Hashizume M, Shimabukuro R, Tanoue K, Tomikawa M, Okita K, Gotoh N, Kenichi K, Tsubouchi N, Sugimachi K.</u>
178	Multiple systemic embolisms with septicemia after gastric variceal obliteration with cyanoacrylate	<u>Tan YM, Goh KL, Kamarulzaman A, Tan PS, Ranieev P, Salem O, Vasudevan AE, Rosaida MS, Rosmawati M, Tan LH.</u>
179	Endoscopic repair of bronchial dehiscence after lung	<u>Maloney JD, Weigel TL, Love RB.</u>
180	Actual behaviour of N-butyl-2-cyanoacrylate (histoacryl) in a blood vessel: a model of the varix	<u>Suga T, Akamatsu T, Kawamura Y, Saegusa H, Kaiiyama M, Nakamura N, Takei M, Matsumoto A.</u>
181	Wound glue: a comparative study of tissue adhesives.	<u>Charters A.</u>
182	Successful management with glue injection of arterial rupture seen during embolization of an arteriovenous malformation using a flow-directed catheter: a case report.	<u>Hong JW, Baik SK, Shin MJ, Choi HY, Kim BG.</u>
183	Toxicological studies of doxorubicin bound to polysorbate 80-coated poly(butyl cyanoacrylate) nanoparticles in healthy rats and rats with intracranial glioblastoma.	<u>Gelperina SE, Khalansky AS, Skidan IN, Smirnova ZS, Bobruskin AI, Severin SE, Turowski B, Zanella FE, Kreuter J.</u>
184	Re: Tissue adhesives.	<u>Rayatt S, Pandey U, Khanna MA.</u>
185	Internal use of n-butyl 2-cyanoacrylate (Indermil) for wound closure: an experimental study.	<u>Pelissier P, Casoli V, Le Bail B, Martin D, Baudet J.</u>
186	Interaction of poly(butylcyanoacrylate) nanoparticles with the blood-brain barrier in vivo and in vitro.	<u>Alyaudtin RN, Reichel A, Lobenberg R, Ramge P, Kreuter J, Begley DJ.</u>
187	Rupture of jejunal varices treated by percutaneous transhepatic obliteration and endoscopic injection sclerotherapy with n-butyl-2-cyanoacrylate.	<u>Akahoshi T, Tanoue K, Tomikawa M, Hashizume M, Sugimachi K.</u>
188	Combination of intraoperative embolization with surgical resection for treatment of giant cerebral arteriovenous malformation.	<u>Zhao J, Wang C, Wang S, Li J, Sui D, Zhao Y.</u>
189	Endovascular embolization of traumatic carotid cavernous fistulas.	<u>Wu Z, Wang C, Yang X, Sun Y, Zhang Y, Li Y, Jiang C, Liu Y.</u>
190	Bioadhesives in ocular surgery	<u>Alvarado Valero MC, Mulets Homs E, Alio Y Sanz JL.</u>
191	Curative treatment of central hemangioma in the mandible by direct puncture and embolisation with n-butyl-cyanoacrylate	<u>Kaneko R, Tohna I, Ueda M, Negoro M, Yoshida J, Yamada Y.</u>
192	Optimization of "Photosens" pharmacokinetics by biodegradable nanospheres	<u>Skidan IN, Bobruskin AI, Guliaev AE, Shalkharbaeva SD, Severin SE, Steinniger S, Kreuter J, Gel'perina SE.</u>
193	Successful transarterial glue embolisation by wedged technique for a tentorial dural arteriovenous fistula presenting with a conjunctival injection.	<u>Iizuka Y, Maehara T, Hishii M, Miyajima M, Arai H.</u>

194	Endovascular treatment of a lenticulostriate artery aneurysm with N-butyl cyanoacrylate.	<u>Larrazabal R, Pelz D, Findlay JM.</u>
195	Detection of viable myocardium by transvenous myocardial contrast echocardiography using harmonic power Doppler: canine model of acute coronary occlusion and reperfusion.	<u>Teupe C, Takeuchi M, Yao J, Avelar E, Pandian N.</u>
196	Treatment of a giant orbitofacial vascular malformation and ophthalmic artery aneurysms with intralesion glue injections: case report.	<u>Firat M, Dincer C, Cerezci I, Cil BE.</u>
197	Butylcyanoacrylate tissue adhesive for columellar incision closure.	<u>Ozturan O, Miman MC, Aktas D, Oncel S.</u>
198	Bacteremia after endoscopic injection of N-butyl-2-cyanoacrylate for gastric variceal bleeding.	<u>Chen WC, Hou MC, Lin HC, Yu KW, Lee FY, Chang FY, Lee SD.</u>
199	Use of Indermil tissue adhesive for closure of superficial skin lacerations in children.	<u>Schonauer F, Pereira J, La Rusca I, Harris J, Cullen K.</u>
200	Endovascular embolization of ophthalmic artery branches for control of refractory epistaxis: report of one case	<u>Sedat J, Dib M, Odin J, Pedulla F, Aboulker C, Santini J.</u>
201	Closure of laparoscopic trocar site wounds with cyanoacrylate tissue glue: a simple technical solution.	<u>Rosin D, Rosenthal RJ, Kuriansky J, Brasesco O, Shabtai M, Ayalon A.</u>
202	Treatment of a giant mandibular arteriovenous malformation with percutaneous embolization using histoacrylic glue: a case report.	<u>Corsten L, Bashir Q, Thornton J, Aletich V.</u>
203	Surgical excision of cutaneous vascular lesions after percutaneous injection of n-butyl 2-cyanoacrylate.	<u>Vargel I, Mavili ME, Canter HI, Cekirge S, Erk Y.</u>
204	Use of isobutyl cyanoacrylate tissue adhesive to stabilize external eyelid weights in temporary treatment of facial palsies.	<u>Shepler TR, Seiff SR.</u>
205	A single blind, prospective, randomized trial comparing n-butyl 2-cyanoacrylate tissue adhesive (Indermil) and sutures for skin closure in hand surgery.	<u>Sinha S, Naik M, Wright V, Timmons J, Campbell AC.</u>
206	Management of gastric varices.	<u>Rockey DC.</u>
207	A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric	<u>Lo GH, Lai KH, Cheng JS, Chen MH, Chiang HT.</u>
208	Histoacryl vs Dermabond cyanoacrylate glue for closing small operative wounds	<u>Steiner Z, Mogilner J.</u>
209	Prolonged hypoglycemic effect of insulin-loaded polybutylcyanoacrylate nanoparticles after pulmonary administration to normal rats.	<u>Zhang Q, Shen Z, Nagai T.</u>
210	Poly n-butyl cyanoacrylate nanoparticles: a mechanistic study of polymerisation and particle formation.	<u>Behan N, Birkinshaw C, Clarke N.</u>
211	Clinical study of embolization of arteriovenous malformation in the oral and maxillofacial region.	<u>Liu D, Ma XC.</u>
212	Gastrointestinal anastomosis with histoacryl glue in rats.	<u>Weiss M, Haj M.</u>
213	Europium fluorescence to visualize N-butyl 2-cyanoacrylate in embolized vessels of an arteriovenous malformation swine model.	<u>Calvo WJ, Lieber BB, Hopkins LN, Wakhloo AK.</u>
214	Sutureless skin closure in varicose vein surgery: preliminary	<u>Canonico S, Campitiello F, Santoriello A,</u>
215	In vitro studies of the penetration of adhesive resins into artificial caries-like lesions.	<u>Robinson C, Brookes SJ, Kirkham J, Wood SR, Shore RC.</u>

216	Practical approach to terminate urinary extravasation: percutaneous fistula tract embolization with N-butyl cyanoacrylate in a case with partial nephrectomy.	<u>Tekin MI, Peskircioglu L, Boyvat F, Ozkardes H.</u>
217	Three cases of fistulae arising from gastrointestinal tract treated with endoscopic injection of Histoacryl.	<u>Lee YC, Na HG, Suh JH, Park I-S, Chung KY, Kim NK.</u>
218	Effects of long-term induced ostial obstruction in the rabbit maxillary sinus.	<u>Hassab MH, Kennedy DW.</u>
219	Cyanoacrylate injuries of the eye	<u>Rohrbach JM, Wohlrab TM, Nolle B, Schlote T.</u>
220	Image of the month. Histoacryl-lipiodol embolization to the lung.	<u>Archimandritis A, Balatsos V, Skandalis N.</u>
221	Cyanoacrylate glue for corneal perforations: a description of a surgical technique and a review of the literature.	<u>Vote BJ, Elder MJ.</u>
222	Assessment of myocardial perfusion by myocardial contrast echocardiography using harmonic power and the transvenous contrast SHU 563A in acute coronary occlusion and after	Teupe C, Takeuchi M, Yao J, Abadi C, Avelar E, Fritzscht T, Pandian N.
223	N-butyl-2-cyanoacrylate pulmonary embolism after endoscopic injection sclerotherapy for gastric variceal bleeding.	<u>Hwang SS, Kim HH, Park SH, Kim SE, Jung JI, Ahn BY, Kim SH, Chung SK, Park YH, Choi KH.</u>
224	Embolic and septic complications after sclerotherapy of fundic varices with cyanoacrylate.	<u>Turler A, Wolff M, Dorlars D, Hirner A.</u>
225	N-butyl 2-cyanoacrylate embolization of spinal dural arteriovenous fistulae.	<u>Song JK, Gobin YP, Duckwiler GR, Murayama Y, Frazee JG, Martin NA, Vinuela F.</u>
226	Endovascular management of a bleeding mandibular arteriovenous malformation by transfemoral venous embolization	Benndorf G, Campi A, Hell B, Holzle F, Lund J, Bier J
227	Embolization of cerebral arteriovenous malformations with n-butyl-2- cyanoacrylate.	<u>Liu HM, Huang YC, Wang YH.</u>
228	Histoacryl in the endoscopic treatment of severe arterial tumor bleeding.	<u>Rosa A, Sequeira C, Mac as F, Nunes A, Gregorio C, Leite J, Castro e Sousa F, Leitao M, Freitas D.</u>
229	Perfusion abnormalities of kidney parenchyma: microvascular imaging with contrast-enhanced color and power Doppler ultrasonography--preliminary results.	<u>Puls R, Hosten N, Lemke M, Teichgraber UK, Steinkamp HK, Felix R.</u>
230	Hemostatic effect of glue-lipiodol mixture plugged in the needle tract after renal biopsies in a high-risk, anticoagulated rabbit	<u>Lee SH, Hahn ST, Yoo J, Kim J.</u>
231	Transarterial embolisation of complex cavernous sinus dural arteriovenous fistulae with low-concentration cyanoacrylate.	<u>Liu HM, Huang YC, Wang YH, Tu YK.</u>
232	Intravascular embolization of intracranial arteriovenous hemangiomas	<u>Twarkowski P, Osiecki M, Koziarski A, Brzozowski K, Madrak N.</u>
233	Use of histoacryl and a covered nitinol stent to treat a bronchobiliary fistula.	<u>Memis A, Oran I, Parildar M.</u>
234	Myocardial contrast echocardiography with harmonic power Doppler and lung traversing SHU 563A ultrasound contrast medium for imaging myocardial perfusion disorders	<u>Teupe C, Yao J, Takeuchi M, Abadi C, Avelar E, Fritzscht T, Pandian N.</u>
235	Endobronchial closure of a bronchopleural cutaneous fistula using angiography catheters.	<u>Jain R, Baijal SS, Phadke RV, Pandey CK, Saraswat VA.</u>
236	Arteriotomy closure by glued patch in the porcine carotid artery.	<u>Bastiaanse J, Borst C, van der Helm YJ, Loo KH, Grundeman PF.</u>

237	In vitro and in vivo studies for modified ethyl cyanoacrylate regimens for sclerotherapy.	Lin JC, Lin CW, Lin XZ.
238	Effects of a mixture of a low concentration of n-butylcyanoacrylate and ethiodol on tissue reactions and the permanence of arterial occlusion after embolization.	<u>Sadato A, Wakhloo AK, Hopkins LN.</u>
239	Stimulated acoustic emission: pseudo-Doppler shifts seen during the destruction of nonmoving microbubbles.	<u>Tiemann K, Pohl C, Schlosser T, Goenechea J, Bruce M, Veltmann C, Kuntz S, Bangard M, Becher H.</u>
240	Endovascular treatment of acute and subacute hemorrhage in the head and neck.	<u>Remonda L, Schroth G, Caversaccio M, Ladrach K, Lovblad KO, Zbaren P, Raveh J.</u>
241	New haemostatic techniques: histoacryl injection, banding/endoloop ligation and haemoclipping.	<u>Binmoeller KF, Soehendra N.</u>
242	Successful endoscopic treatment of enterocutaneous fistulas by histoacryl glue.	<u>Dalton D, Woods S.</u>
243	Adenosine-induced ventricular asystole to induce transient profound systemic hypotension in patients undergoing endovascular therapy. Dose- response characteristics.	<u>Hashimoto T, Young WL, Aagaard BD, Joshi S, Ostapkovich ND, Pile-Spellman J.</u>
244	A technique for dural repair following retromastoid suboccipital craniectomy.	<u>Ogungbo BI, Nath FP.</u>
245	Clinical evaluation of endoscopic injection sclerotherapy using N-butyl-2- cyanoacrylate for gastric variceal bleeding.	<u>Sheikh RA, Trudeau WL.</u>
246	Microvascular anastomosis using histoacryl glue and an intravascular soluble stent.	<u>Lemaire D, Mongeau J, Dorion D.</u>
247	Intrahepatic transtumoral arteriovenous fistulae (diagnosis, importance, therapeutic proposals)	<u>Widman A, Speranzini MB, Oliveira IR, Saad WA, Fratezzi AC, Cerri GG.</u>
248	Change of spontaneous reaction of glue and lipiodol mixture during embolization after the addition of tungsten powder: in vitro	<u>Suh DC, Shi HB, Park SS, Lee MS, Choi HY.</u>
249	Chyluria after radical nephrectomy treated with N-butyl-2-cyanoacrylate.	<u>Tuck J, Pearce I, Pantelides M.</u>
250	Intrarenal pseudoaneurysm after percutaneous nephrostolithotomy: endovascular treatment with N-butyl-2-	<u>Soyer P, Desgrippes A, Vallee JN, Rymer R.</u>
251	Glue embolization of a ruptured celiac trunk pseudoaneurysm via the gastroduodenal artery.	<u>Schoder M, Cejna M, Langle F, Hittmaier K, Lammer J.</u>
252	Post-traumatic priapism with high flow treated with embolization with N-butyl-cyanoacrylate.	<u>Ettore GC, Francioso G, Genchi V, Prattichizzo A.</u>
253	Ovarian vein embolization for the treatment of pelvic congestion syndrome: long-term technical and clinical results.	<u>Maleux G, Stockx L, Wilms G, Marchal G.</u>
254	Bucrylate treatment of bleeding gastric varices: 12 years' experience.	<u>Kind R, Guglielmi A, Rodella L, Lombardo F, Catalano F, Ruzzenente A, Borzellino G, Girlanda R, Leopardi F, Pratico F, Cordiano C.</u>
255	Randomized trial of N-butyl-2-cyanoacrylate compared with injection of hypertonic saline-epinephrine in the endoscopic treatment of bleeding peptic ulcers.	<u>Lee KJ, Kim JH, Hahm KB, Cho SW, Park YS.</u>

256	Visceral fistula as a complication of endoscopic treatment of esophageal and gastric varices using isobutyl-2-cyanoacrylate: report of two cases.	<u>Battaglia G, Morbin T, Patarnello E, Merkel C, Corona MC, Ancona E.</u>
257	Endoscopic treatment of bleeding gastric varices by N-butyl-2-cyanoacrylate (Histoacryl) injection: long-term efficacy and safety.	<u>Huang YH, Yeh HZ, Chen GH, Chang CS, Wu CY, Poon SK, Lien HC, Yang SS.</u>
258	Improved preparation and physical studies of polybutylcyanoacrylate nanocapsules.	<u>Wohlgemuth M, Machtle W, Mayer C.</u>
259	Polysorbate-80 coating enhances uptake of polybutylcyanoacrylate (PBCA)- nanoparticles by human and bovine primary brain capillary endothelial cells.	<u>Ramge P, Unger RE, Oltrogge JB, Zenker D, Begley D, Kreuter J, Von Briesen H.</u>
260	Locoregional chemoperfusion with mitoxantrone for palliative therapy in bleeding bladder cancer compared with embolization	<u>Textor HJ, Wilhelm K, Strunk H, Layer G, Dolitzsch C, Schild HH.</u>
261	Hemorrhagic anorectal varices: treatment by injection of	<u>Vandewalle A, Brazier F, Kfoury M, Dupas JL.</u>
262	Cirroid renal arteriovenous malformation treated by endovascular embolization with n-butyl 2-cyanoacrylate.	<u>Defreyne L, Govaere F, Vanlangenhove P, Derie A, Kunnen M.</u>
263	Duodenal ulcer perforation following cyanoacrylate injection.	<u>Cheah WK, So J, Chong SM, Goh P.</u>
264	Life-threatening intraabdominal arterial embolization after histoacryl injection for bleeding gastric ulcer.	<u>Lee GH, Kim JH, Lee KJ, Yoo BM, Hahm KB, Cho SW, Park YS, Moon YS.</u>
265	Microvascular anastomosis using 2-octyl cyanoacrylate in the rat femoral artery.	<u>Hall WW, Wrye SW, Banducci DR, Ehrlich P.</u>
266	Body distribution of 3H-labelled dalargin bound to poly(butyl cyanoacrylate) nanoparticles after i.v. injections to mice.	<u>Schroeder U, Schroeder H, Sabel BA.</u>
267	Pulmonary emboli following therapeutic embolization of cerebral arteriovenous malformations in children.	<u>Kjellin IB, Boechat MI, Vinuela F, Westra SJ, Duckwiler GR.</u>
268	Non-adhesive cyanoacrylate as an embolic material for endovascular neurosurgery.	<u>Oowaki H, Matsuda S, Sakai N, Ohta T, Iwata H, Sadato A, Taki W, Hashimoto N, Ikada Y.</u>
269	Use of N-butyl-2-cyanoacrylate in oral surgery: biological and clinical	<u>Perez M, Fernandez I, Marquez D, Bretana RM.</u>
270	A traumatic ossicular disruption successfully repaired with n-butyl cyanoacrylate tissue adhesive.	<u>Adamson RM, Jeannon JP, Stafford F.</u>
271	Endoscopic removal of sclerotherapy needle from gastric varix after N-butyl- 2-cyanoacrylate injection.	<u>Bhasin DK, Sharma BC, Prasad H, Singh K.</u>
272	Preoperative devascularization of a vertebral metastasis with a spinal artery at the same level	<u>Trystram D, Aymard A, Godon Hardy S, Cioloca C, Fredy D, Meder J.</u>
273	Catheter tract embolization after percutaneous transhepatic biliary intervention	<u>Schmitz-Rode T, Blaum M, Hubner D, Gunther RW.</u>
274	Variceal bleeding and portal hypertension.	<u>Binmoeller KF, Borsatto R.</u>
275	Increase of the duration of the anticonvulsive activity of a novel NMDA receptor antagonist using poly(butylcyanoacrylate	<u>Friese A, Seiller E, Quack G, Lorenz B, Kreuter J.</u>
276	Transcatheter arterial embolization of ruptured pseudoaneurysms with coils and n-butyl cyanoacrylate.	<u>Yamakado K, Nakatsuka A, Tanaka N, Takano K, Matsumura K, Takeda K.</u>
277	Multiple pulmonary glue emboli following gastric variceal	<u>Palejwala AA, Smart HL, Hughes M.</u>
278	An endoscopic injection with N-butyl-2-cyanoacrylate used for colonic variceal bleeding: a case report and review of the	<u>Chen WC, Hou MC, Lin HC, Chang FY, Lee SD.</u>

279	Preparation of acyclovir-polybutylcyanoacrylate-nanoparticles by emulsion polymerization method	<u>Zhang Z, Tian H, He Q.</u>
280	Determination of valaciclovir polybutylcyanoacrylate nanoparticles	<u>e Q, Zhang Z.</u>
281	Arteriovenous malformations in the jaws. The place of intravascular therapy. Apropos of 14 cases	<u>Rodesch G, Soupre V, Vazquez M, Fain J, Alvarez H, Lasjaunias P.</u>
282	Long-term stability of PBCA nanoparticle suspensions.	<u>Sommerfeld P, Sabel BA, Schroeder U.</u>
283	Indirect evidence that drug brain targeting using polysorbate 80-coated polybutylcyanoacrylate nanoparticles is related to toxicity.	<u>Olivier JC, Fenart L, Chauvet R, Pariat C, Cecchelli R, Couet W.</u>
284	Accidental instillation of N-butyl cyanoacrylate into the anterior chamber.	<u>Zagelbaum BM, Schwartz BH, Nelson DB.</u>
285	Management of variceal bleeding in pregnancy with endoscopic variceal ligation and N-butyl-2-cyanoacrylate: report of three	<u>Dhiman RK, Biswas R, Aggarwal N, Sawhney H, Chawla Y.</u>
286	Experimental study of the influence of endoleak size on pressure in the aneurysm sac and the consequences of thrombosis.	<u>Schurink GW, Aarts NJ, Van Baalen JM, Kool LJ, Van Bockel JH.</u>
287	Liver-specific imaging with SHU 563A: diagnostic potential of a new class of ultrasound contrast media.	<u>Bauer A, Blomley M, Leen E, Cosgrove D, Schliefer R.</u>
288	Severe pulmonary embolism after obturation of gastric varices with a butyl- cyanoacrylate and lipiodol combination	<u>Kull E, Hernandez M, Richer JP, Borderie C, Silvain C, Beauchant M.</u>
289	Response surface methodology as a predictive tool for determining the effects of preparation conditions on the physicochemical properties of poly(isobutylcyanoacrylate)	<u>McCarron PA, Woolfson AD, Keating SM.</u>
290	Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. Glue or sutures for facial lacerations in children.	<u>Carley S, al Zarad M.</u>
291	Evolving experience with direct puncture therapeutic embolization for adjunctive and palliative management of head and neck hypervascular neoplasms.	<u>Chaloupka JC, Mangla S, Huddle DC, Roth TC, Mitra S, Ross DA, Sasaki CT.</u>
292	Emergency endovascular treatment of a life-threatening hemorrhage from traumatic rupture of the left extracranial	<u>Simionato F, Righi C, Silvani P, Torri G, Scotti G.</u>
293	Cyclodextrins and carrier systems.	<u>Duchene D, Wouessidjewe D, Ponchel G.</u>
294	Diffusion enhancement of drugs by loaded nanoparticles in vitro.	<u>Schroeder U, Sabel BA, Schroeder H.</u>
295	Study of the mechanism of insulin encapsulation in poly(isobutylcyanoacrylate) nanocapsules obtained by interfacial polymerization.	<u>Aboubakar M, Puisieux F, Couvreur P, Deyme M, Vauthier C.</u>
296	Failure of right portal vein ligation to induce left lobe hypertrophy due to intrahepatic portoportal collaterals: successful treatment with portal vein embolization.	<u>Denys AL, Abehsera M, Sauvanet A, Sibert A, Belghiti J, Menu Y.</u>
297	Lecythophora mutabilis endophthalmitis after long-term corneal cyanoacrylate.	<u>Marcus DM, Hull DS, Rubin RM, Newman CL.</u>
298	Pathology findings with acrylic implants.	<u>San Millan Ruiz D, Burkhardt K, Jean B, Muster M, Martin JB, Bouvier J, Fasel JH, Rufenacht DA, Kurt AM.</u>
299	Treatment of mandibular arteriovenous malformation by transvenous embolization: A case report.	<u>Kiyosue H, Mori H, Hori Y, Okahara M, Kawano K, Mizuki H.</u>
300	Endovascular treatment of a cervical paraspinal arteriovenous malformation via arterial and venous approaches.	<u>Szajner M, Weill A, Piotin M, Moret J.</u>

301	Mandibular arteriovenous angioma and the circumstances of discovery: fissuration syndrome	Pouyat X, Herbreteau D.
302	High failure rate of umbilical vessel occlusion by ultrasound-guided injection of absolute alcohol or enbucrilate gel.	Denbow ML, Overton TG, Duncan KR, Cox PM, Fisk NM.
303	Transcatheter glue occlusion of bilateral coronary-pulmonary arterial fistulae.	Vajifdar BU, Gupta A, Lokhandwala YY, Kerkar PG, Limaye U, Ramakantan R.
304	Computed tomography-fluoroscopy guided injection of cyanoacrylate to mark a pulmonary nodule for thoracoscopic	Yoshida J, Nagai K, Nishimura M, Takahashi K.
305	Use of N-butyl-2-cyanoacrylate in elective surgical incisions--longterm outcomes.	Amiel GE, Sukhotnik I, Kawar B, Siplovich L.
306	Repair of left ventricular rupture after mitral valve replacement: use of a Teflon patch and glue.	de la Fuente A, Agudo O, Sanchez R, Fernandez JL, Moriones I.
307	Selective embolization of a bile leak after operative resection of an echinococcal cyst	Kiltz U, Baier J, Adamek RJ.
308	Endoscopic management of bleeding ectopic varices with	Bhasin DK, Sharma BC, Sriram PV, Makharia G, Singh K.
309	Treatment of distal aneurysms of the cerebellar arteries by intraaneurysmal injection of glue.	Cognard C, Weill A, Tovi M, Castaings L, Rey A, Moret J.
310	Physico-chemical characterization of insulin-loaded poly(isobutylcyanoacrylate) nanocapsules obtained by interfacial polymerization.	boubakar M, Puisieux F, Couvreur P, Vauthier C.
311	A novel method of securing the nail following nail bed repair.	Richards AM, Crick A, Cole RP.
312	Use of isobutyl cyanoacrylate tissue adhesive to stabilize mucous membrane grafts in total socket reconstruction.	Gallemore RP, Green J, Shorr N, Goldberg RA.
313	Craniofacial arteriovenous malformation: preoperative embolization with direct puncture and injection of n-butyl	Han MH, Seong SO, Kim HD, Chang KH, Yeon KM, Han MC.
314	Cyanoacrylate tissue adhesive augmented tenoplasty: a new surgical procedure for bilateral severe chemical eye burns.	Sharma A, Pandey S, Sharma R, Mohan K, Gupta A.
315	Adenosine-induced cardiac pause for endovascular embolization of cerebral arteriovenous malformations: technical case report.	Pile-Spellman J, Young WL, Joshi S, Duong H, Vang MC, Hartmann A, Kahn RA, Rubin DA, Prestigiacomo CJ, Ostapkovich ND.
316	Clinical evaluation of endoscopic injection sclerotherapy using n-butyl-2-cyanoacrylate for gastric variceal bleeding.	Ogawa K, Ishikawa S, Naritaka Y, Shimakawa T, Wagatsuma Y, Katsube A, Kajiwara T.
317	A randomized, clinical trial comparing butylcyanoacrylate with octylcyanoacrylate in the management of selected pediatric facial lacerations.	Osmond MH, Quinn JV, Sutcliffe T, Jarmuske M, Klassen TP.
318	An open study of tissue adhesive in full-thickness skin grafting.	Craven NM, Telfer NR.
319	Microcatheter adhesion of cyanoacrylates: comparison of normal butyl cyanoacrylate to 2-hexyl cyanoacrylate.	Barr JD, Hoffman EJ, Davis BR, Edgar KA, Jacobs CR.
320	Embolization of rolandic cortex arteriovenous malformations.	Paulsen RD, Steinberg GK, Norbash AM,
321	Major complications of percutaneous embolization of skull-base tumors.	Casasco A, Houdart E, Biondi A, Jhaveri HS, Herbreteau D, Aymard A, Merland JJ.
322	Reversible symptomatic venous congestion after treatment of dural arteriovenous fistula using NBCA.	Uchino A, Numaguchi Y, Holloway RG, Cherian N.

323	Randomised trial of histoacryl windowtext tissue adhesive glue versus suturing in the repair of paediatric lacerations.	<u>Barnett P, Jarman FC, Goodge J, Silk G, Aickin R.</u>
324	A comparison of 2 root coverage techniques: guided tissue regeneration with a bioabsorbable matrix style membrane versus a connective tissue graft combined with a coronally positioned pedicle graft without vertical incisions. results of a series of consecutive cases.	<u>Harris RJ.</u>
325	Enteroplication in cats, using suture of N-butyl cyanoacrylate adhesive.	<u>Nash JM, Bellenger CR.</u>
326	Tissue-specific US contrast agent for evaluation of hepatic and splenic parenchyma.	<u>Forsberg F, Goldberg BB, Liu JB, Merton DA, Rawool NM, Shi WT.</u>
327	Study of the effect of polybutylcyanoacrylate nanoparticles and their metabolites on the primary immune response in mice to sheep red blood cells.	<u>Simeonova M, Chorbadjiev K, Antcheva M.</u>
328	Pulmonary, cerebral and coronary emboli during bucrylate injection of bleeding fundic varices.	<u>Roesch W, Rexroth G.</u>
329	Embolization of neurosurgical lesions involving the ophthalmic artery.	<u>Lefkowitz M, Giannotta SL, Hieshima G, Higashida R, Halbach V, Dowd C, Teitelbaum GP.</u>
330	Triplet pregnancy with acardius acranius after preimplantation diagnosis.	<u>Schild RL, Plath H, Fodisch HJ, Bartmann P, Hansmann M.</u>
331	Arteriovenous malformations of the dental arcades. The place of endovascular therapy: results in 12 cases are presented.	<u>Rodesch G, Soupre V, Vazquez MP, Alvarez H, Lasjaunias P.</u>
332	The use of cyanoacrylates in periodontal therapy.	<u>Grisdale J.</u>
333	Splenic infarction after histoacryl injection for bleeding gastric varices.	<u>Cheng PN, Sheu BS, Chen CY, Chang TT, Lin XZ.</u>
334	Retrogastric abscess secondary to gastric varices obturation withcyanoacrylate	<u>Verger P, Blais J, Gruau M, Haffaf Y</u>
335	Injection sclerotherapy for gastric varices using N-butyl-2-cyanoacrylate and ethanolamine oleate.	<u>Miyazaki S, Yoshida T, Harada T, Shigemitsu T, Takeo Y, Okita K.</u>
336	Failure of Sengstaken balloon tamponade for rebleeding after tissue adhesive injection in a fundic varix.	<u>Nieuwenhuis JA, Peters FT, Sanders J, van der Werf TS, Zijlstra JG.</u>
337	Preoperative portal embolization: an effective means for inducing hypertrophy of the healthy liver and increasing indications for hepatic resection	<u>Roche A, Lasser P, de Baere T, Elias D.</u>
338	Management of gastrointestinal fistulas with n-2-butyl-cyanoacrylate.	<u>Billi P, Alberani A, Baroncini D, Formica G, Borioni D, Piemontese A, Milandri G, Cennamo V, D'Imperio N.</u>
339	A novel approach to flow quantification in brain arteriovenous malformations prior to enbucrilate embolization: use of insoluble contrast (Ethiodol droplet) angiography.	<u>Wakhloo AK, Lieber BB, Rudin S, Fronckowiak MD, Mericle RA, Hopkins LN.</u>
340	Endoscopic injection sclerotherapy with n-butyl-2-cyanoacrylate for ruptured duodenal varices.	<u>Ota K, Shirai Z, Masuzaki T, Tanaka K, Higashihara H, Okazaki M, Arakawa M.</u>
341	Butyl-2-cyanoacrylate fixation of mandibular osteotomies.	<u>Shermak MA, Wong L, Inoue N, Chao EY, Manson PN.</u>
342	Fixation of the craniofacial skeleton with butyl-2-cyanoacrylate and its effects on histotoxicity and healing	<u>Shermak MA, Wong L, Inoue N, Crain BJ, Im MJ, Chao EY, Manson PN.</u>

343	Combined poly(isobutylcyanoacrylate) and cyclodextrins nanoparticles for enhancing the encapsulation of lipophilic drugs.	<u>Monza da Silveira A, Ponchel G, Puisieux E, Duchene D.</u>
344	Efficacy of synthetic and biological bioadhesives in scleral tunnel phacoemulsification in eyes with high myopia.	<u>Alio JL, Mulet E, Sakla HF, Gobbi F.</u>
345	New prospects for ultrasound contrast agents.	<u>Maresca G, Summaria V, Colagrande C, Manfredi R, Calliada F.</u>
346	Fatal pulmonary embolism after endoscopic embolization of downhill esophageal varix	<u>Tsokos M, Bartel A, Schoel R, Rabenhorst G, Schwerk WB.</u>
347	Cyanoacrylate glue in the repair of retinal detachment associated with posterior retinal breaks in infants and children.	<u>Hartnett ME, Hirose T.</u>
348	The tissue adhesive indermil and its use in surgery.	<u>Roberts AC.</u>
349	Endoscopic treatment of recurrent tracheo-oesophageal fistulae: long-term results.	<u>Willetts IE, Dudley NE, Tam PK.</u>
350	Endoscopic forehead fixation with histoacryl.	<u>Mixter RC.</u>
351	Enhanced bone regeneration and formation around implants using guided bone regeneration.	<u>Bhumbra RS, Berman AB, Walker PS, Barrett DS, Blunn GW.</u>
352	Keep the nail plate on with Histoacryl.	<u>Stanislas JM, Waldram MA.</u>
353	Treatment of bleeding gastric varices with tissue adhesive (Histoacryl) in children.	<u>Fuster S, Costaguta A, Tobacco O.</u>
354	Selective salpingography and fallopian tubal occlusion with n-butyl-2- cyanoacrylate: report of two cases.	<u>Pelage JP, Herbreteau D, Pailion JF, Murray JM, Rymer R, Garance P.</u>
355	The delivery of loperamide to the brain by using polybutyl cyanoacrylate nanoparticles	<u>Aliautdin RN, Petrov VE, Langer K, Berthold A, Kreuter J, Kharkevich DA.</u>
356	Rheumatoid corneal melting.	<u>Gokhale NS.</u>
357	Clinical experience with cyanoacrylate tissue adhesive.	<u>Moschos M, Droutsas D, Boussalis P, Tsioulas G.</u>
358	Lacerations against Langer's lines: to glue or suture?	<u>Simon HK, Zempsky WT, Bruns TB, Sullivan KM.</u>
359	Posterior spinal artery infarct.	<u>Mascalchi M, Cosottini M, Ferrito G, Salvi F, Nencini P, Quilici N.</u>
360	Refinement of nipple areolar placement in breast surgery.	<u>Pandya AN, Arnstein PM.</u>
361	Biomechanical evaluation of titanium, biodegradable plate and screw, and cyanoacrylate glue fixation systems in craniofacial	<u>Gosain AK, Song L, Corrao MA, Pintar FA.</u>
362	A prospective randomized study of wound approximation with tissue glue in circumcision in children.	<u>Cheng W, Saing H.</u>
363	Use of cyanoacrylate in facial bone fractures.	<u>Kim YO.</u>
364	Embolization of perigraft leaks after endovascular stent-graft treatment of distal arch anastomotic pseudoaneurysm with coil and n-butyl 2- cyanoacrylate.	<u>Yamaguchi T, Maeda M, Abe H, Okada T, Kawaguchi H, Yamanouchi E, Sakuyama K, Uchida H.</u>
365	Significant entry of tubocurarine into the brain of rats by adsorption to polysorbate 80-coated polybutylcyanoacrylate nanoparticles: an in situ brain perfusion study.	<u>Alyautdin RN, Tezikov EB, Ramge P, Kharkevich DA, Begley DJ, Kreuter J.</u>
366	n-Butyl cyanoacrylate adhesive for skin closure of abdominal wounds: preliminary results.	<u>Qureshi A, Drew PJ, Duthie GS, Roberts AC, Monson JR.</u>
367	On the use of ion-pair chromatography to elucidate doxorubicin release mechanism from polyalkylcyanoacrylate nanoparticles at the cellular level.	<u>Pepin X, Attali L, Domrault C, Gallet S, Metreau JM, Reault Y, Cardot PJ, Imalalen M, Dubernet C, Soma E, Couvreur P.</u>

368	Echocardiographic demonstration of intracardiac glue after endoscopic obturation of gastroesophageal varices.	Gallet B, Zemour G, Saudemont JP, Renard P, Hillion ML, Hiltgen M.
369	Selective feticide by embolization in twin-twin transfusion syndrome. A report of two cases.	Donner C, Shahabi S, Thomas D, Noel JC, Kirkpatrick C, Rysselberghe MV, Hubinon C, Vermeulen D, Masters L, Rodesch F.
370	Surgical excision of intracranial arteriovenous malformations after preoperative embolisation with N-butylcyanoacrylate.	Wong SH, Tan J, Yeo TT, Ong PL, Hui F.
371	The electricity properties of polybutylcyanoacrylate nanoparticles	Zhang Q, Liao G, Shou D.
372	Current concepts in laceration repair.	Liebelt EL.
373	Management of a large arteriovenous fistula in the face: a case of neurofibromatosis type 1.	Yilmaz M, Ada E, Vayvada H, Barutcu A.
374	Clinical and electron microscope comparison of silk sutures and n-butyl-2- cyanoacrylate in human mucosa.	Giray CB, Atasever A, Durgun B, Araz K.
375	Creeping attachment associated with the connective tissue with partial- thickness double pedicle graft.	Harris RJ.
376	Endoscopic control of gastric variceal bleeding with butyl cyanoacrylate in patients with schistosomiasis.	Mostafa I, Omar MM, Nohu A.
377	A simple, inexpensive method for precise application of cyanoacrylate tissue adhesive.	DeBono R.
378	Enterocutaneous fistulas: an unusual solution.	Santos F, Campos J, Freire J, Andrade A, Tavora I, Castelo HB.
379	Percutaneous microcoil embolization of intraperitoneal intrahepatic and extrahepatic biliary fistulas.	Hunt JA, Gallagher PJ, Heintze SW, Waugh R, Shiel GR.
380	Successful endoscopic injection sclerotherapy with N-butyl-2- cyanoacrylate following the recurrence of bleeding soon after endoscopic ligation for ruptured duodenal varices.	Yoshida Y, Imai Y, Nishikawa M, Nakatukasa M, Kurokawa M, Shibata K, Shimomukai H, Shimano T, Tokunaga K, Yonezawa T.
381	The use of Indermil (n-butyl cyanoacrylate) in otorhinolaryngology and head and neck surgery. A preliminary report on the first 33 patients.	Samuel PR, Roberts AC, Nigam A.
382	Hydrophilic coatings diminish adhesion of glue to catheter: an in vitro simulation of NBCA embolization.	Mathis JM, Evans AJ, DeNardo AJ, Kennett K, Crandall JR, Jensen ME, Dion JE.
383	Endoscopic treatment for esophago-gastric varices, current status in Japan.	Yamamoto M, Suzuki H.
384	Interventional treatment of hemobilia	Sokiranski R, Rilinger N, Brado M, Huppert P, Vogel J, Brambs HJ, Gorich J.
385	Laceration repair with tissue adhesive in children.	Brown V.
386	Craniofacial skeletal fixation using biodegradable plates and cyanoacrylate glue.	Ahn DK, Sims CD, Randolph MA, O'Connor D, Butler PE, Amarante MT, Yaremchuk MJ.
387	Re: Embolization of posttraumatic high-flow priapism.	Kessel D, Robertson I, McWilliams RG.
388	Malignant biliary obstruction complicated by ascites: closure of the transhepatic tract with cyanoacrylate glue after placement of an endoprosthesis.	Cekirge S, Akhan O, Ozmen M, Saatci I, Besim A.
389	Endoscopic reduction and internal cyanoacrylate fixation of the zygoma.	Cheski PJ, Matthews TW.
390	Embolization of spinal dural arteriovenous fistulae: results and follow-up.	iimi Y, Berenstein A, Setton A, Neophytides A.

391	Tissue glue for PTFE grafts.	Wilkins D, Wilson Y, Ashley S.
392	Delivery of loperamide across the blood-brain barrier with polysorbate 80- coated polybutylcyanoacrylate nanoparticles.	Alyautdin RN, Petrov VE, Langer K, Berthold A, Kharkevich DA, Kreuter J.
393	As originally published in 1989: Tissue adhesive in bronchial closure. Updated in 1997.	Sabanatham A, Sabanathan S, Shah R, Richardson J.
394	An unusual complication of histoacryl injection.	Naga M, Foda A.
395	Symposium on endoscopic hemostasis in gastric diseases. 2. Choice of endoscopic therapy for esophagogastric varices: aiming for safer and more effective therapy.	Iwase H, Kusugami K.
396	Long-term appearance of lacerations repaired using a tissue adhesive.	Simon HK, McLario DJ, Bruns TB, Zempsky WT, Wood RJ, Sullivan KM.
397	Preliminary experience with butyl-2-cyanoacrylate adhesive in tension-free inguinal hernia repair.	Horgan LF, O'Riordan DC.
398	Reoperative aortic root surgery late after use of histo-acryl.	Goossens D, Brutel de la Riviere A, Ernst S, Vermeulen F.
399	Closure of a gastric tube-tracheal fistula by transposition of a pedicled sternocleidomastoid muscle flap.	Sakamoto K, Ogawa M, Yamamoto S, Mugita N, Saishoji T, Azuma KS, Hayashida K.
400	Embolization of the nidus of brain arteriovenous malformations with n-butyl cyanoacrylate.	Debrun GM, Aletich V, Ausman JI, Charbel F, Dujovny M.
401	Prophylactic oral administration of metabolically active insulin entrapped in isobutylcyanoacrylate nanocapsules reduces the incidence of diabetes in nonobese diabetic mice.	Sai P, Damage C, Rivereau AS, Hoeltzel A, Gouin E.
402	Preliminary experience with butyl-2-cyanoacrylate adhesive in tension-free inguinal hernia repair.	Cheek CM.
403	The role of CT in evaluation of the effectiveness of embolisation of spinal dural arteriovenous fistulae with N-butyl cyanoacrylate.	Cognard C, Miaux Y, Pierot L, Weill A, Martin N, Chiras J.
404	Laceration repair using a tissue adhesive in a children's emergency	Bruns TB, Simon HK, McLario DJ, Sullivan KM, Wood RJ, Anand KJ.
405	The effect of arteriovenous malformations on the distribution of intracerebral arterial pressures.	Fogarty-Mack P, Pile-Spellman J, Haccin-Bey L, Osipov A, DeMeritt J, Jackson EC, Young WL.
406	Treatment of high-flow vascular malformations by venous embolization aided by flow occlusion techniques.	Jackson JE, Mansfield AO, Allison DJ.
407	Repermeation of partially embolized cerebral arteriovenous malformations: a clinical, radiologic, and histologic study.	Gruber A, Mazal PR, Bavinzski G, Killer M, Budka H, Richling B.
408	Preliminary experience with butyl-2-cyanoacrylate adhesive in tension-free inguinal hernia repair.	Farouk R, Drew PJ, Qureshi A, Roberts AC, Duthie GS, Monson JR.
409	Posttraumatic high-flow priapism treated by N-butyl-cyanoacrylate embolization	Numan F, Cakirer S, Islak C, Ogut G, Kadioglu A, Cayan S, Tellaloglu S.
410	A case of portal and splenic vein thrombosis after Histoacryl injection therapy in gastric varices.	Shim CS, Cho YD, Kim JO, Bong HK, Kim YS, Lee JS, Lee MS, Hwang SG.
411	Cyanoacrylate tissue adhesive in blepharoplasty	Veloudios A, Kratky V, Heathcote JG, Lee M, Hurwitz JJ, Kazdan MS.
412	Case report: successful internal iliac artery embolisation with glue in a case of massive obstetric haemorrhage.	Walker WJ.
413	Direct intraoperative sclerotherapy of an aneurysmal bone cyst of the	Chartrand-Lefebvre C, Dubois J, Roy D, Mercier C, Raymond J.

414	Salvage of flow-directed microcatheter after hub failure.	Kwan ES, Stich RA, Shrem LA.
415	Use of cyanoacrylate glue to repair punctured tissue expanders.	Cavadas PC.
416	Selective embolization with an adhesive fluid of complicated aneurysms of the hepatic artery: 3 cases	Cotroneo AR, Salcuni M, Marano G, Di Stasi C.
417	[Embolization of AVM's of thoracic spinal cord with histoacryl glue	Radek A, Maciejczak A, Zajner J, Duda W, Piwowarski W, Kochanowski J, Jarmundowicz W, Harat M, Rynkiewicz T.
418	Estimation of usefulness of N-butyl-2-cyanoacrylate-lipiodol mixture in transcatheter arterial embolization for urgent control of life-threatening massive bleeding from gastric or duodenal ulcer.	Toyoda H, Nakano S, Kumada T, Takeda I, Sugiyama K, Osada T, Kiriyaama S.
419	Endoscopic hemostasis of upper gastrointestinal bleeding with histoacryl: last resort before surgery.	Yok KY, Kum CK, Goh PM.
420	Evaluation of undiluted N-butyl-2-cyanoacrylate in the endoscopic treatment of upper gastrointestinal tract varices.	D'Imperio N, Piemontese A, Baroncini D, Billi P, Borioni D, Dal Monte PP, Borrello P.
421	Pulmonary embolism following embolization of an arteriovenous malformation.	Carapiet DA, Stevens JE.
422	Preoperative percutaneous injection of methyl methacrylate and N-butyl cyanoacrylate in vertebral hemangiomas.	Cotten A, Deramond H, Cortet B, Lejeune JP, Leclerc X, Chastanet P, Clarisse J.
423	Role of transarterial embolization in the management of cerebral arteriovenous malformations.	Wikholm G.
424	Embolization of a high-output postnephrectomy aortocaval fistula with Gianturco coils and cyanoacrylate.	Cekirge S, Oguzkurt L, Saatci I, Boyvat F, Balkanci F.
425	A case of hemobilia after percutaneous liver biopsy treated by transcatheter arterial embolization with Histoacryl.	Murata K, Oohashi Y, Takase K, Nakano T, Tameda Y.
426	Varicocele: indications for treatment.	Comhaire F, Zalata A, Schoonjans F.
427	Cure, morbidity, and mortality associated with embolization of brain arteriovenous malformations: a review of 1246 patients in 32 series over a 35-year period.	Frizzel RT, Fisher WS 3rd.
428	Study on pharmacokinetics of mitoxantrone polycyanoacrylate nanoparticles freeze-dried injection by HPLC column switching technique	Zhang ZR, Liao GT, Ye LM.
429	Malignant insulinoma: permanent hepatic artery embolization of liver metastases--preliminary results.	Winkelbauer FW, Nierderle B, Graf O, Prokesch R, Thurnher S, Wildling R, Lammer J.
430	Nonsurgical treatment of variceal bleeding: new modalities.	.DeMeritt JS, Pile-Spellman J, Mast H, Moohan N.
431	Outcome analysis of preoperative embolization with N-butyl cyanoacrylate in cerebral arteriovenous malformations.	Lu DC, Young WL, Haccin-Bey L, Mohr JP, Stein BM.
432	Experimental study on embolic materials for simultaneous segmental embolization through transarterial route]	Ueda T, Matsui O, Yoshikawa J, Sanada J, Ueda K, Takashima T, Kobayashi A.
433	A case of pulmonary arteriovenous fistula failed in transcatheter embolization and followed by emergency operation	Masaoka T, Yuki Y, Ohizumi H, Murai K, Naruke Y, Shiono S, Washio M.
434	Endoscopic (-ERC) fibrin sealing and histoacryl sealing of an abscess induced bilio-hepatico-cutaneous and a bilio-hepatico-phrenico-bronchial fistulous system.	Herold G, Danz B.
435	Right portal vein embolization in preparation for major hepatic resection.	Azoulay D, Raccuia JS, Castaing D, Bismuth H.

436	Results of catheter embolization of renal cell carcinoma	<u>Vogel J, Gorich J, von Ahlen H, Harder T, Friedrich JM, Rilinger N, Merkle E, Brambs HJ.</u>
437	In vitro fracture fixation: adhesive systems compared with a conventional technique.	<u>Perry MJ, Youngson CC.</u>
438	Treatment of facial arteriovenous malformation	<u>Murase S, Kaku Y, Yamada J, Nokura H, Miwa Y, Ohkuma A, Yamada H.</u>
439	Endovascular treatment of an infantile nongalenic cerebral arteriovenous fistula with cyanoacrylate.	<u>Hermier M, Turjman F, Bozio A, Duquesnel J, Lapras C.</u>
440	Hepatic artery embolotherapy of hepatic metastases from carcinoid tumors: value of using a mixture of cyanoacrylate and	<u>Winkelbauer FW, Niederle B, Pietschmann F, Thurnher S, Wildling R, Prokesch R, Lammer J.</u>
441	N-2-butylcyanoacrylate: risk of bacterial contamination with an appraisal of its antimicrobial effects.	<u>Quinn JV, Osmond MH, Yurack JA, Moir PJ.</u>
442	Evaluation of tissue adhesive to contain axonal regeneration in horses.	<u>Turner AS, Trotter GW, Powers BE.</u>
443	Economic comparison of a tissue adhesive and suturing in the repair of pediatric facial lacerations.	<u>Osmond MH, Klassen TP, Quinn JV.</u>
444	Use of tissue adhesive in the closure of small incisions and lacerations.	<u>Elmasalme FN, Matbouli SA, Zuberi MS.</u>
445	Endovascular embolization treatment of cerebral arteriovenous malformations (report of 54 cases).	<u>Shi X, Wang Z, Dai J.</u>
446	"Superglue": the answer to variceal bleeding and fundal varices?	<u>Binmoeller KF, Soehendra N.</u>
447	The value of combined use of N-butyl-2-cyanoacrylate and ethanolamine oleate in the management of bleeding esophagogastric varices.	<u>Thakeb F, Salama Z, Salama H, Abdel Raouf T, Abdel Kader S, Abdel Hamid H.</u>
448	N-butyl-2-cyanoacrylate (Histoacryl) plus sclerotherapy versus sclerotherapy alone in the treatment of bleeding esophageal varices: a randomized prospective study.	<u>Feretis C, Dimopoulos C, Benakis P, Kalliakmanis B, Apostolidis N.</u>
449	Ethanolamine oleate versus butyl cyanoacrylate for bleeding gastric varices: a nonrandomized study.	<u>Oho K, Iwao T, Sumino M, Toyonaga A, Tanikawa K.</u>
450	Percutaneous endovascular embolization of intracerebral arteriovenous malformations. Experience in 72 cases.	<u>Huang Z, Dai Q, Suo J, Liu F, Wang C, Yin W.</u>
451	Physicochemical characteristics of gentamicin polybutylcyanoacrylate nanoparticles	<u>Zhang Q, Liao G, Yin H.</u>
452	Management of oesophageal fistula by radiologically-guided instillation of tissue adhesive.	<u>Drury AE, Grundy A.</u>
453	Treatment of type II perimedullary arteriovenous fistulas by intraoperative transvenous embolization: case report.	<u>Touho H, Monobe T, Ohnishi H, Karasawa J.</u>
454	Corneal endothelial polymerization of histoacryl adhesive: a report of a new intraocular complication.	<u>Markowitz GD, Orlin SE, Frayer WC, Andrews AP, Prince RB.</u>
455	Giant serpentine aneurysms: radiographic features and endovascular treatment.	<u>Mawad ME, Klucznik RP.</u>
456	Cyanoacrylate fixation of the craniofacial skeleton: an experimental study	<u>Amarante MT, Constantinescu MA, O'Connor D, Yaremchuk MJ.</u>
457	Guided tissue regeneration in severe periodontal defects in anterior teeth. Case reports.	<u>Echeverria JJ, Manzanares C.</u>

458	Nongalenic cerebral arteriovenous malformations in neonates and infants. Review of 26 consecutive cases (1982-1992).	<u>Rodesch G, Malherbe V, Alvarez H, Zerah M, Devictor D, Lasjaunias P.</u>
459	Occlusion of cerebral arteriovenous malformations with N-butyl cyano- acrylate is permanent.	<u>Wikholm G.</u>
460	Randomized, prospective study of cyanoacrylate injection, sclerotherapy, or rubber band ligation for endoscopic hemostasis of bleeding canine gastric varices.	<u>Jutabha R, Jensen DM, Egan J, Machicado GA, Hirabayashi K.</u>
461	Acute toxicity of liver targeting mitoxantrone-nanospheres	<u>Zhang Z, Liao G.</u>
462	Comparison of effects of suture and cyanoacrylate tissue adhesive on bacterial counts in contaminated lacerations.	<u>Howell JM, Bresnahan KA, Stair TO, Dhindsa HS, Edwards BA.</u>
463	Color Doppler endoscopic ultrasonography for the evaluation of gastric varices and endoscopic obliteration with cyanoacrylate	<u>Iwase H, Suga S, Morise K, Kuroiwa A, Yamaguchi T, Horiuchi Y.</u>
464	Haemoperitoneum due to spontaneous rupture of hepatic haemangiomas: treatment by superselective arterial embolization and partial hepatectomy.	<u>Soyer P, Levesque M.</u>
465	N-butyl-2-cyanoacrylate in the endoscopic treatment of Dieulafoy ulcer.	<u>D'Imperio N, Papadia C, Baroncini D, Piemontese A, Billi P, Dal Monte PP.</u>
466	Comparison of silk sutures and n-butyl-2-cyanoacrylate on the healing of skin wounds. A pilot study.	<u>Giray CB, Sungur A, Atasever A, Araz K.</u>
467	The use of cyanoacrylate tissue adhesive in high-risk intestinal anastomoses.	<u>Tebala GD, Ceriati F, Ceriati E, Vecchioli A, Nori S.</u>
468	Symptomatic pulmonary complications from liquid acrylate embolization of brain arteriovenous malformations.	<u>Pelz DM, Lownie SP, Fox AJ, Hutton LC.</u>
469	A new technique for nonsurgical repair of peripheral pseudoaneurysm.	<u>Jeans WD, Leven HO.</u>
470	Twin-to-twin transfusion syndrome: selective feticide by embolization of the hydropic fetus.	<u>Dommergues M, Mandelbrot L, Delezoide AL, Aubry MC, Fermont L, Caputo-Mahieu D, Dumez Y.</u>
471	Studies on in vitro release kinetics of gentamicin sulfate polybutylcyanoacrylate nanoparticles	<u>Zhang Q, Liao GT.</u>
472	Arteriovenous fistula of the scalp after hair transplantation treated by endovascular embolization.	<u>Mathis JM, DeNardo AJ, Jensen ME, Lin KY, Dion JE</u>
473	Split skin grafting on severely damaged skin. A technique using absorbable tissue adhesive.	<u>Zaki I, Scerri L, Millard L.</u>
474	Investigation of drug release in vitro from mitoxantrone-	<u>Zhang Z, Liao G, Qian W.</u>
475	Endoscopic patch closure of malignant esophagotracheal fistula using Histoacryl glue.	<u>Goh PM, Kum CK, Toh EH.</u>
476	Clinical trials of TAE using micro-coil coated with n-butyl 2-cyanoacrylate and lipiodol	<u>Ohno K, Yamashita M, Nakajima K, Maeda H, Yamada K, Nakamura T, Katsumori T, Sato O,</u>
477	Histoacryl glue as a hemostatic agent in microvascular anastomoses.	<u>Giele H.</u>
478	Direct intratumoral embolization of juvenile angiofibroma.	<u>Tranbahuy P, Borsik M, Herman P, Wassef M, Casasco A.</u>
479	Interventional neuroradiology. A presentation with preliminary	<u>Bartholdy NJ, Haase J.</u>
480	Management of postpneumonectomy bronchopleural fistulae. A review.	<u>Sabanathan S, Richardson J.</u>
481	Experimental studies addressing rigid fixation in craniofacial	<u>Yaremchuk MJ.</u>

482	Tissue adhesive wound repair revisited.	Noordzij JP, Foresman PA, Rodeheaver GT, Quinn JV, Edlich RF.
483	Non-surgical treatment of urethral fistula: a suggested technic	Polito MJ, Antico E, Mantovani P, Candelari R, Chierigo P.
484	Self-expandable stent and injection of tissue adhesive for malignant bronchoesophageal fistula.	Devriere J, Quarre JP, Love J, Cremer M.
485	An unusual use for an epidural catheter.	Doyle L.
486	Laparoscopy-assisted devascularization of the lower esophagus and upper stomach in the management of gastric varices.	Kitano S, Tomikawa M, Iso Y, Hashizume M, Moriyama M, Sugimachi K.
487	Conization of the uterine cervix using Histoacryl, a bioglue	Kudela M, Pohl K, Jaburek L.
488	Reduced-size liver transplantation in mini pigs	Lai HS, Lee PH, Chen WJ, Hu RH, Chen KM, Chu SH
489	High flow priapism after blunt perineal trauma: resolution with bucrylate embolization.	Alvarez Gonzalez E, Pamplona M, Rodriguez A, Garcia-Hidalgo E, Nunez V, Leiva O.
490	Endoscopic treatment of bronchopleural fistulas using N-butyl-2-cyanoacrylate.	Inaspettato G, Rodella L, Laterza E, Pratico F, Kind R, Lombardo F, Lorenzi CM.
491	Cyanoacrylate-assisted foreign body removal from the ear and nose in children.	Hanson RM, Stephens M.
492	Laparoscopic knot substitutes. An assessment of techniques of securing sutures through the laparoscope.	Andrews SM, Lewis JL.
493	Lip suture with isobutyl cyanoacrylate.	de Blanco LP.
494	Complications of varicocele embolization: adhesion of the intravascular catheter during infusion of bucrylate	Fernandez Aparicio T, Minana Lopez B, Pamplona M, Aguirre F, Carrero V, Caballero J, Alvarez E, Leiva O.
495	Forms of an in vivo polymerization product, n-butyl-2-cyanoacrylate, within the gastric wall	Watanabe T, Narimiya N, Joki M, Iwasaki M, Sugimoto I, Takeuchi T, Kamakura H, Tanaka T.
496	N-butyl-2-cyanoacrylate for embolisation of carotid aneurysm.	Teng MM, Chen CC, Lirng JF, Chen SS, Lee LS, Chang T.
497	Toxicity of cyanoacrylates in vitro using extract dilution assay on cell cultures.	Ciapetti G, Stea S, Cenni E, Sudanese A, Marraro D, Toni A, Pizzoferrato A.
498	Value of vertebroplasty combined with surgical decompression in the treatment of aggressive spinal angioma. Apropos of 3 cases	Cortet B, Cotten A, Deprez X, Deramond H, Lejeune JP, Leclerc X, Chastanet P, Duquesnoy B, Delcambre B.
499	Tubal anastomosis in the rat using the tissue adhesive cyanoacrylate (Histoacryl).	Haj N, Haj M, Shasha SM, Oettinger M.
500	A sticky tip.	Blackwell N, Burrows M.
501	Polymeric glues in intestinal surgery.	Tebala GD, Ceriati F, Miani N, Nori S, Piantelli M, Ceriati E, Cotroneo A.
502	In vitro study of cytotoxic activity of vinblastine in a free form and associated with nanoparticles.	Simeonova M, Antcheva M.
503	Tissue distribution of polybutylcyanoacrylate nanoparticles loaded with spin- labelled nitrosourea in Lewis lung carcinoma-bearing	Simeonova M, Ivanova T, Raikov Z, Konstantinov H.
504	Histoacryl tissue adhesive: an alternative means of stopping polytetrafluoroethylene graft sweating.	Sim EK, Wong ML, Tan CT, Lee CN.
505	An observation of the anticarcinogenic effect of mitoxantrone-polybutylcyanoacrylate-nanosperes	Zhang Z, Liao G, Hou S, Bai S, Zhang X.
506	Endovascular management of carotid cavernous fistulae: observation on angiographic and clinical results.	Santhosh J, Rao VR, Ravimandalam K, Gupta AK, Unni NM, Rao AS.
507	Cautionary warning	Pregent E.

508	Endovascular neuroradiologic interventions. Embolization of aneurysms and arteriovenous malformations. Sclerotherapy of cavernous hemangiomas	<u>Nepper-Rasmussen HJ, Bjerre PK, Jorgensen KE.</u>
509	In vivo evaluation of polyisobutylcyanoacrylate microparticles containing fluorouracil.	<u>Sawant KK, Murthy RS.</u>
510	Endoscopic treatment of a bleeding duodenal varix using N-butyl-2- cyanoacrylate.	<u>Paterlini A, Rolfi F, Buffoli F, Cesari P, Graffeo M, Benedini D, Lanzani G, Bonera E.</u>
511	Endoscopic treatment of bleeding duodenal varices by bucrylate injection.	<u>Benedetti G, Sablich R, Lacchin T, Masiero A.</u>
512	Posterior fossa dural arteriovenous fistula with isolated sinus segment	<u>Nakahara I, Pile-Spellman J, Hacein-Bey L, Crowell RM, Gress D.</u>
513	A randomized, controlled trial comparing a tissue adhesive with suturing in the repair of pediatric facial lacerations.	<u>Quinn JV, Drzewiecki A, Li MM, Stiell IG, Sutcliffe T, Elmslie TJ, Wood WE.</u>
514	Polar hands: spontaneous skin fissures closed with cyanoacrylate (Histoacryl windowtext) tissue adhesive in Antarctica.	<u>Ayton JM.</u>
515	Sutureless circumcision.	<u>Zafar F, Thompson JN, Pati J, Kiely EA, Abel PD.</u>
516	Effects of cyanoacrylate tissue adhesives on cartilage graft	<u>Quatela VC, Futran ND, Frisina RD.</u>
517	Safety of embolic materials.	<u>Rosenwasser RH, Berenstein A, Nelson PK, Setton A, Jafar JJ, Marotta T.</u>
518	Clinical experiences with adhesive hard contact lenses	<u>Kuckelkorn R, Schrage N, Redbrake C, Kottek A, Reim M.</u>
519	Formation and characterization of cyclosporine-loaded	<u>Guzman M, Molpeceres J, Garcia F, Aberturas MR, Rodriguez M.</u>
520	Antibacterial and cytotoxic effects of N-butyl-2-cyanoacrylate used as a tissue adhesive	<u>Giray CB, Us D, Guney C, Araz K.</u>
521	Percutaneous embolization of an arteriovenous fistula of the internal mammary pedicle following sternal wire insertion.	<u>Sapoval MR, Jebara VA, Raynaud AC, Chardigny C, Sarkis A, Renaudin JM, Fabiani JN, Gaux JC.</u>
522	Anastomosis of uterine serosa with cyanoacrylate versus suture in rats.	<u>Caballero-Gomez JM, Ortega-Moreno J.</u>
523	Superselective kidney artery embolization as therapy of choice in bleeding of benign origin	<u>Vorwerk D, Gunther RW, Keulers P, Jakse G.</u>
524	Significance of cardiac innervation on spontaneous ventricular arrhythmias elicited by left stellate ganglion stimulation in dogs 4 days after myocardial infarction: comparison of two experimental	<u>Aidonidis I, Metz J, Gerstheimer F, Kubler W, Brachmann J.</u>
525	Subsequent bleeding from ruptured intracranial aneurysms treated by wrapping or coating: a review of the long-term results in	<u>Cossu M, Pau A, Turtas S, Viola C, Viale GL.</u>
526	Closure of a tracheoesophageal fistula by bronchoscopic application of tissue glue.	<u>Bouchi J.</u>
527	Recent improvement in outcome using transcatheter embolization techniques for neonatal aneurysmal malformations of the vein of Galen.	<u>Friedman DM, Verma R, Madrid M, Wisoff JH, Berenstein A.</u>
528	Successful endoscopic hemostasis of duodenal variceal bleeding with histoacryl.	<u>Labenz J, Borsch G.</u>
529	Clinical experience with N-butyl cyanoacrylate (Nexacryl) tissue adhesive.	<u>Leahey AB, Gottsch JD, Stark WJ.</u>
530	Superglue sealant for persistent leakage of cerebrospinal fluid.	<u>Papini RP, Niranjana NS.</u>

531	Endoscopic obliteration of recurrent tracheoesophageal fistula.	<u>Vandenplas Y, Helven R, Derop H, Malfroot A, De Backer T, Beyens T, Vandeveldel A, Desprechins B,</u>
532	Duodenal varices in hepatocellular carcinoma.	<u>Sung JY, Chung SC, Leung HT, Lai CW, Ismael AE, Li AK.</u>
533	Surgical tissue adhesives in facial plastic and reconstructive	<u>Vogel A, O'Grady K, Toriumi DM.</u>
534	Influence of polybutylcyanoacrylate nanoparticles and liposomes on the efficacy and toxicity of the anticancer drug mitoxantrone in murine tumour models.	<u>Beck P, Kreuter J, Reszka R, Fichtner I.</u>
535	Subacute cardiac rupture: repair with a sutureless technique.	<u>Padro JM, Mesa JM, Silvestre J, Larrea JL, Caralps JM, Cerron F, Aris A.</u>
536	The effect of embolization with N-butyl cyanoacrylate prior to surgical resection of cerebral arteriovenous malformations.	<u>Jafar JJ, Davis AJ, Berenstein A, Choi IS, Kupersmith MJ.</u>
537	Long-term efficacy of endovascular embolization with silk particles and their effects on surrounding tissues in rabbits	<u>Wu ZQ.</u>
538	The pathology of arteriovenous malformations of the brain treated by embolotherapy. II. Results of embolization with multiple agents.	<u>Schweitzer JS, Chang BS, Madsen P, Vinuela F, Martin NA, Marroquin CE, Vinters HV.</u>
539	Endoscopic closure of a recurrent tracheoesophageal fistula	<u>Vandenplas Y, Blecker U, Lanciers S, Vandeveldel A, De Backer A, Beyens T, Deconinck P.</u>
540	The use of Histoacryl in endodontics.	<u>Lage-Marques JL, Conti R, Antoniazzi JH.</u>
541	The use of tissue adhesive in pulmonary resections.	<u>Sabanathan S, Eng J, Richardson J.</u>
542	Design of new formulations for topical ocular administration: polymeric nanocapsules containing metipranolol.	<u>Losa C, Marchal-Heussler L, Orallo F, Vila Jato JL, Alonso MJ.</u>
543	Glue for children's wounds.	<u>Murtagh J, Brentnall E.</u>
544	Bleeding anal varix: adverse effects of local treatment with	<u>Siproudhis L, Renet C, Bretagne JF, Raoul JL, Heresbach D, Gosselin M.</u>
545	Tracheal rupture from incorrect positioning of endotracheal tube.	<u>Yam LY, Tai YP, Wong KS, Li MK.</u>
546	The role of an adhesive (Histoacryl) in tendon repair.	<u>Trail IA, Powell ES, Noble J, Crank S.</u>
547	Arteriovenous malformations of the brain: choosing embolic materials to enhance safety and ease of excision.	<u>Purdy PD, Batjer HH, Risser RC, Samson D.</u>
548	Diminished genotoxicity of mitomycin C and farmorubicin included in polybutylcyanoacrylate nanoparticles.	<u>Blagoeva PM, Balansky RM, Mircheva TJ, Simeonova MI.</u>
549	Endoscopic treatment of esophagogastric varices.	<u>Adler M, Bourgeois N, Delhay M, Deviere J, Gay F, Gelin M, Le Moine O, Vandermeeren A, Van Gossum A, Lambilliotte JP.</u>
550	Bronchopleural fistula: the use of tissue glue.	<u>Roukema JA, Verpalen MC, Lobach HJ, Palmen</u>
551	Endovascular treatment of post-traumatic complex carotid-cavernous fistulas, using the arterial approach.	<u>Pierot L, Moret J, Boulin A, Castaings L.</u>
552	Aneurysmal bone cysts treated by superselective embolization.	<u>Konya A, Szendroi M.</u>
553	3-Methoxybutylcyanoacrylate: evaluation of biocompatibility and bioresorption.	<u>Henderson AM, Stephenson M.</u>
554	Mathematical modelling of retinal tear formation: implications for the use of heavy liquids.	<u>Stevens JD, Jones IL, Warner M, Lavin MJ, Leaver PK.</u>
555	Increased superoxide anion production in polymorphonuclear leucocytes on exposure to isobutyl-2-cyanoacrylate.	<u>Papatheofanis FJ, Barmada R.</u>
556	The current status of cyanoacrylate and fibrin tissue adhesives.	<u>Forseth M, O'Grady K, Toriumi DM.</u>
557	A tectonic keratoprosthesis using expanded polytetrafluoroethylene as a supporting skirt in humans.	<u>Ham DI, Lee JH.</u>

558	Histoacryl glue in microvascular surgery.	<u>Middleton WG, Matthews W, Chiasson DA.</u>
559	Successful excision of a juvenile-type spinal arteriovenous malformation following intraoperative embolization. Case report.	<u>Touho H, Karasawa J, Shishido H, Yamada K, Shibamoto K.</u>
560	Studies on the transport pathway of PBCA nanoparticles in ocular tissues.	<u>Zimmer A, Kreuter J, Robinson JR.</u>
561	Use of a tissue adhesive to repair fetal bodies after dissection.	<u>Gau GS, Napier K, Bhundia J.</u>
562	Improvement of ocular penetration of amikacin sulphate by association to poly(butylcyanoacrylate) nanoparticles.	<u>Losa C, Calvo P, Castro E, Vila-Jato JL, Alonso MJ.</u>
563	Effect of nanoparticles on transdermal drug delivery.	<u>Cappel MJ, Kreuter J.</u>
564	Endoscopic sclerotherapy--personal experience.	<u>Soehendra N, Grimm H, Maydeo A, Nam VC, Eckmann B, Bruckner M.</u>
565	The use of Histoacryl for episiotomy repair.	<u>Adoni A, Anteby E.</u>
566	Embolization of extensive facial arteriovenous malformation via the orbital branches of the ophthalmic artery.	<u>Aoki S, Sasaki Y, Machida T, Sasaki Y.</u>
567	Variable histotoxicity of histoacryl when used in a subcutaneous site: an experimental study.	<u>Toriumi DM, Raslan WF, Friedman M, Tardy ME Jr.</u>
568	Nonsuture closure of arterial defect by vein graft using isobutyl-2-cyanoacrylate as a tissue adhesive.	<u>Celik H, Caner H, Tahta K, Ozcan OE, Erbeni A, Onol B.</u>
569	Endoscopic tissue adhesive for gastric varices.	<u>Johansen K.</u>
570	Therapeutic transrenal occlusion of the ureter: solution of plug migration problem.	<u>Schurawitzki H, Hobarth K, Gebauer A, Kratzik C.</u>
571	Studies of 5-fluorouracil nanocapsules	<u>Pan WS, Hu J.</u>
572	Histoacryl closure of eyelid skin grafts.	<u>Shorr N, Cohen MS, Lessner A.</u>
573	Nanoparticles as drug carriers for vinblastine. Acute toxicity of vinblastine in a free form and associated to polybutylcyanoacrylate nanoparticles.	<u>Simeonova M, Ilarionova M, Ivanova T, Konstantinov C, Todorov D.</u>
574	Endovascular treatment of a spinal intrathecal giant arteriovenous fistula in a 3-year-old child.	<u>Kohan GA, March AD, Lylyk P.</u>
575	The results of percutaneous transvascular sclerotherapy of varicoceles	<u>Basche S, Kachel R, Glaser FH.</u>
576	Effects of tissue glues on electrical activity in isolated nerve.	<u>Wlodarczyk J.</u>
577	Tissue adhesives inhibit experimental new bone formation.	<u>Ekelund A, Nilsson OS.</u>
578	Doxorubicine englobed in polybutylcyanoacrylate nanocapsules: behaviour in vitro and in vivo.	<u>Gasco MR, Morel S, Trotta M, Viano I.</u>
579	Optimization of doxorubicine incorporation and of the yield of polybutylcyanacrylate nanoparticles.	<u>Carpignano R, Gasco MR, Morel S.</u>
580	Endoscopic diagnosis and closure of a bronchopleural fistula.	<u>Malfroot A, Van Tussenbroek F, Van Nooten G, Dab I.</u>
581	Endoscopic hemostasis of esophageal and gastric variceal bleeding with Histoacryl.	<u>Feretic C, Tabakopoulos D, Benakis P, Xenofontos M, Golematis B.</u>
582	Translingual approach of the basal surface of the diencephalon of the rat and retrograde labeling from the median eminence.	<u>Setalo G, Merchenthaler I.</u>
583	Joint effects of monomer and stabilizer concentrations on physico-chemical characteristics of poly(butyl 2-cyanoacrylate)	<u>Alonso MJ, Sanchez A, Torres D, Seijo B, Vila-Jato JL.</u>
584	Embolization of meningiomas using liquid embolizing agents	<u>Mironov A.</u>

585	Evaluation of the apical leakage of isobutyl cyanoacrylate when used as a root canal sealant.	<u>Kartal N, Durmaz V.</u>
586	Use of histoacryl tissue adhesive to manage an avulsed tooth.	<u>McCabe MJ.</u>
587	Left main-stem bronchial stenosis complicating bronchial artery embolization.	<u>Girard P, Baldeyrou P, Lemoine G, Grunewald D.</u>
588	Scanning electron microscopic evaluation of the effects of intracameral injection of cyanoacrylate in the rabbit.	<u>Macasai M, Kuczak J, Robin JB.</u>
589	Histotoxicity of cyanoacrylate tissue adhesives. A comparative	<u>Toriumi DM, Raslan WF, Friedman M, Tardy ME.</u>
590	Temporary tarsorrhaphy with cyanoacrylate adhesive for seventh-nerve palsy.	<u>Diamond JP.</u>
591	Endoscopic injection sclerotherapy using histoacryl	<u>Yamamoto M, Miho O, Suzuki H.</u>
592	Synthetic polymer tissue adhesive in the surgery of ascending aortic dissection. Report of two cases.	<u>Griffin S, Dimitri W, Williams B.</u>
593	Swan-Ganz catheter-induced rupture of the pulmonary artery: successful early management by transcatheter embolization.	<u>Jondeau G, Lacombe P, Rocha P, Rigaud M, Hardy A, Bourdarias JP.</u>
594	Costs and benefits of the use of tissue adhesives in wounds in children	<u>Messi G, Canciani G, Marchi AG.</u>
595	Pleurodesis using an acrylate glue in the treatment of therapy-resistant symptomatic pneumothorax	<u>Bolcskei PL, Gill E, Haberstumpf H, Lessnau KD, Wellhofer G.</u>
596	Changes in auditory function associated with 2-cyano-butyl-acrylate adhesive implanted in the middle ear of experimental	<u>Zikk D, Rapoport Y, Himelfarb MZ.</u>
597	The ideal tissue adhesive in facial plastic and reconstructive	<u>Ellis DA, Shaikh A.</u>
598	Successful closure of bronchopleural fistula with adhesive tissue. Case report.	<u>Eng J, Sabanathan S.</u>
599	Embolization of cerebral arteriovenous malformations with bucrylate. Experience in a first series of 29 patients.	<u>Berthelsen B, Lofgren J, Svendsen P.</u>
600	Revascularization of brain arteriovenous malformations after embolization with bucrylate.	<u>Fournier D, Terbrugge K, Rodesch G, Lasjaunias P.</u>
601	Fundamental research in ultrasonic surgery. IX. Splenic surgery using cavitation ultrasound--an experimental animal study of aspiration and sealing technics with ligament FIMOMED	<u>Wehner H, Mehlhorn J, Daniel P, Wehner W, Ludwig P, Muller W.</u>
602	Investigation of the microbiological variations at the empty root canals after retrograde histoacryl filling that is made with pulpectomy at the same time	<u>Harputluoglu S, Dogan O, Yucekaya A.</u>
603	Embolisation of the ophthalmic artery branches distal to its visual supply.	<u>Alvarez H, Rodesch G, Garcia-Monaco R, Lasjaunias P.</u>
604	Tobramycin-adhesive in preventing and treating PTFE vascular graft infections.	<u>Shenk JS, Ney AL, Tsukayama DT, Olson ME, Bubrick MP.</u>
605	Use of cyanoacrylate tissue adhesive for closing facial lacerations in children	<u>Watson DP.</u>
606	Prothrombotic cytotoxicity of cyanoacrylate tissue adhesive.	<u>Papatheofanis FJ.</u>
607	Inadvertent bucrylate pulmonary embolization: a case report.	<u>Takasugi JE, Shaw C.</u>

608	Successful endoscopic obturation of gastric varices with butyl cyanoacrylate.	Ramond MJ, Valla D, Mosnier JF, Degott C, Bernuau J, Rueff B, Benhamou JP.
609	Cyanoacrylate fixed silicone sheet in medial blowout fracture	Seiff SR.
610	Preliminary evaluation of two experimental surgical adhesives in the rabbit cornea.	Robin JB, Lee CF, Riley JM.
611	Embolization therapy of cavernous hemangiomas	Rappersberger K, Samec P, Diem E.
612	Transcatheter thoracic duct embolization in the dog. An experimental study.	Pardo AD, Bright RM, Walker MA, Patton CS.
613	Endoscopic hemostasis of gastric bleeding from Dieulafoy's ulcer with histoacryl.	Loperfido S.
614	Venous rupture during transvenous approach to a carotid-cavernous fistula. Case report.	King WA, Hieshima GB, Martin NA.
615	n-Butyl 2-cyanoacrylate--substitute for IBCA in interventional neuroradiology: histopathologic and polymerization time studies.	Brothers MF, Kaufmann JC, Fox AJ, Deveikis JP.
616	Poly(butyl-2-cyanoacrylate) particles as adjuvants for oral immunization.	O'Hagan DT, Palin KJ, Davis SS.
617	The use of histoacryl tissue adhesive for the primary closure of scalp wounds.	[No authors listed]
618	A clinical trial of tissue adhesive (histoacryl) in skin closure of groin wounds.	Keng TM, Bucknall TE.
619	Liquid embolization for arteriovenous malformation with temporary balloon occlusion of another feeders	Abe H, Koike T, Minakawa T, Tanaka R.
620	A new operation for the prevention and treatment of amputation neuromas.	Martini A, Fromm B.
621	Non-suture repair of tendons.	Powell ES, Trail IA, Noble J.
622	Therapy of gastrointestinal bleeding	Kohler B, Riemann JF.
623	Thoracoscopic closure of distal bronchopleural fistulas, using tissue glue.	Aasebo U.
624	Contribution of hydroxyapatite to the tensile strength of the isobutyl-2- cyanoacrylate-bone bond.	Papatheofanis FJ.
625	Histoacryl. Its use in aesthetic facial plastic surgery.	Kamer FM, Joseph JH.
626	Comparative animal experiments of different tissue adhesives. I. Tensile strength studies. II. Histologic and morphometric studies	Stephan E, Buntrock P, Kohler S.
627	Surgical repair of rabbit tibia osteotomy using isobutyl-2-cyanoacrylate.	Papatheofanis FJ.
628	A screening method using tissue culture for evaluation of potential retinal adhesives.	Jaffe MJ, Oliver AP, Von Fricken MA, Silberstein L, Wyatt RJ.
629	Dissolution of isobutyl 2-cyanoacrylate on long-term follow-up.	Rao VR, Mandalam KR, Gupta AK, Kumar S, Joseph S.
630	Experimental strabismus surgery using N-butyl-2-cyanoacrylate (Histoacryl).	Jung YC, Chang BL.
631	Use of Van der Meulen principles in repair of hypospadias cripples without chordee.	Kon M, Sagi A.
632	Sutureless repair of postinfarction cardiac rupture.	Padro JM, Caralps JM, Montoya JD, Camara ML, Garcia Picart J, Aris A.

633	Congenital arteriovenous malformations: tailored embolotherapy.	<u>Widlus DM, Murray RR, White RI Jr, Osterman FA Jr, Schreiber ER, Satre RW, Mitchell SE, Kaufman SL, Williams GM, Weiland AJ.</u>
634	Preoperative embolization of brain AVMs with isobutyl-2 cyanoacrylate.	<u>Pelz DM, Fox AJ, Vinuela F, Drake CC, Ferguson GG.</u>
635	Colonization of n-butyl-2-cyanoacrylate tissue adhesive by <i>Staphylococcus epidermidis</i> .	<u>Olson ME, Ruseska I, Costerton JW.</u>
636	The use of histoacryl tissue adhesive for the primary closure of scalp wounds.	<u>Morton RJ, Gibson MF, Sloan JP.</u>
637	Evaluation and radiologic observations on hepatic artery embolization with IBCA in the treatment of hepatocellular	<u>Zhao ZR.</u>
638	Fixation of rabbit osteotomies with biodegradable polyglycolic acid thread.	<u>Vihonen K.</u>
639	Transthoracic needle biopsy with bucrylate.	<u>Vincent JG.</u>
640	Sutureless renal repair after low-velocity ballistic trauma.	<u>Frazier HA 2nd, O'Connell KJ, Wagner GN, Clark MA.</u>
641	Use of tissue adhesives in the repair of lacerations in children.	<u>Mizrahi S, Bickel A, Ben-Layish E.</u>
642	The prevention of carotid artery rupture with isobutyl-2-	<u>Costantino PD, Atiyah RA, Mico AS, Sisson GA Sr.</u>
643	Isobutyl cyanoacrylate as a soft tissue adhesive. An in vitro study in the rabbit Achilles tendon.	<u>Bonutti PM, Weiker GG, Andrish JT.</u>
644	Endoscopic closure of bronchopleural fistulas using a tissue adhesive.	<u>Shultz RE, Richardson DD, Kempf KK, Pevsner Menard JW, Prejean CA, Tucker WY.</u>
645	Treatment of a central arteriovenous malformation of the mandible with cyanoacrylate: a 4-year follow-up.	<u>PH, George ED.</u>
646	Possible biomedical uses of alkyl-cyanoacrylates	<u>Cugurra F, Conterno F, Cipriani C, Gazzo M, Allegri P.</u>
647	Management by transcatheter intravascular treatment of angioma of the mandible and adjacent soft tissues	<u>Bien S, Garcia Cervigon E, Laurent A, Riche MC, Merland JJ.</u>
648	Management of incurable urinary fistulas by percutaneous ureteral occlusion.	<u>Stern JL, Maroney TP, Lacey CG.</u>
649	An experimental study of sodium morrhuate as an agent for arterial embolization	<u>Li YH.</u>
650	Legal liability in using nonapproved materials.	<u>Raymond JR.</u>
651	N-butyl-2-cyanoacrylate: a supplement to endoscopic	<u>Soehendra N, Grimm H, Nam VC, Berger B.</u>
652	Endoscopic obliteration of a recurrent tracheoesophageal fistula.	<u>Al-Samarrai AY, Jessen K, Haque K.</u>
653	Cement coating of osteoarticular allografts in rats to prevent the immune response.	<u>Rodrigo J, Reynolds H, Thorson E, Gray J, Thompson E, Heitter D.</u>
654	The use of isobutyl-2-cyanoacrylate in embolization.	<u>Samson D, Marshall D.</u>
655	Our experience with the application of the biological tissue adhesive "Kanokonlit B" in the treatment of traumatic pulpitis of permanent frontal teeth	<u>Kolev D.</u>
656	Clinical versus experimental use of isobutyl-2-cyanoacrylate.	<u>Berenstein A, Hieshima G.</u>
657	Splenic arteriogastric fistula from plication of a gastric ulcer. Therapeutic embolization.	<u>Morse SS, Siskind BN, Horowitz NR, Strauss EB.</u>
658	Surgical management of large AVM's by staged embolization and operative excision.	<u>Spetzler RF, Martin NA, Carter LP, Flom RA, Raudzens PA, Wilkinson E.</u>

659	Artificial embolization with isobutyl-2-cyanoacrylate for the treatment of carotid-ophthalmic aneurysm.	Nishimoto A, Kuyama H, Nagao S, Kinugasa K, Kunishio K.
660	Late histoacryl-induced complications of dura surgery in the frontal and lateral base of the skull	<u>Chilla R.</u>
661	Selective therapeutic embolization of renal cell carcinoma in solitary kidneys.	<u>Kozak BE, Keller FS, Rosch J, Barry J.</u>
662	Bony ossicular fixation using 2-cyano-butyl-acrylate adhesive.	<u>Wells JR, Gernon WH.</u>
663	Hard tissue barrier formation in pulpotomized monkey teeth capped with cyanoacrylate or calcium hydroxide for 10 and 60 minutes.	<u>Cvek M, Granath L, Cleaton-Jones P, Austin J.</u>
664	Cyanoacrylate-fixed silicone sleds in the orbit. An animal model.	<u>McFarland JE, Seiff SR, Shorr N.</u>
665	Non-surgical closure of a benign oesophagobronchial fistula.	<u>Marco C, Doncel F, Veloso E, Viver JM, Vidal J.</u>
666	Osteosynthesis of mandibular fractures with N-butyl cyanoacrylate: a pilot study.	<u>Mehta MJ, Shah KH, Bhatt RG.</u>
667	Complications of transthoracic needle biopsy decreased with isobutyl 2- cyanoacrylate: a pilot study.	<u>Skupin A, Gomez F, Husain M, Skupin C, Bigman O.</u>
668	Endoscopic gluing of bronchopleural fistula.	<u>Torre M, Chiesa G, Ravini M, Vercelloni M, Belloni PA.</u>
669	Endoscopic obliteration of esophageal varices with Bucrylate: an interesting technic, but with too many disadvantages	<u>Andreani T, Grange JD, Poupon R, Darnis F.</u>
670	Endoscopic treatment of bleeding gastric varices with bucrylate.	<u>Loperfido S.</u>
671	Vertebral arteriovenous fistula following anterior cervical spine surgery. Report of two cases.	<u>Cosgrove GR, Theron J.</u>
672	Induction of sarcomas by the tissue-binding substance Histoacryl-blau in the rat	<u>Reiter A.</u>
673	Transvitreal cyanoacrylate retinopexy in the management of complicated retinal detachment.	<u>McCuen BW 2nd, Hida T, Sheta SM, Machemer R.</u>
674	The capnograph, a reliable non-invasive monitor for the detection of pulmonary embolism of various origin.	<u>Smelt WL, de Lange JJ, Baerts WD, Booij LH.</u>
675	Experimental transvitreal cyanoacrylate retinopexy through silicone oil.	<u>Sheta SM, Hida T, McCuen BW 2nd.</u>
676	Complications following temporary occlusion of the nasolacrimal duct with tissue adhesive (Histoacryl)	<u>Kohler U.</u>
677	Isobutyl-2-cyanoacrylate.	<u>Samson D.</u>
678	A new hemostatic technic in oral medicine	<u>Gaudy JF.</u>
679	Carcinogenic potential of isobutyl-2-cyanoacrylate.	<u>Samson D, Marshall D.</u>
680	Cyanoacrylate tissue adhesive in securing orbital implants.	<u>Tse DT.</u>
681	Uterine arteriovenous malformation successfully embolized with a liquid polymer, isobutyl 2-cyanoacrylate.	<u>Markoff G, Quagliarello J, Rosen RJ, Beckman EM.</u>
682	Histologic analysis of tissue response to bucrylate-pantopaque mixture.	<u>Cromwell LD, Freeny PC, Kerber CW, Kunz LL,</u>
683	The effect of butyl 2-cyanoacrylate on the middle and inner ear of the	<u>Chen E, Harner SG.</u>
684	Angiographic follow-up of large cerebral AVMs incompletely embolized with isobutyl-2-cyanoacrylate.	<u>Vinuela F, Fox AJ, Pelz D, Debrun G.</u>

685	Cerebrovascular accidents after endoscopic obturation of esophageal varices with isobutyl-2-cyanoacrylate in 2 patients	<u>See A, Florent C, Lamy P, Levy VG, Bouvry M.</u>
686	[Endoscopic obturation of esophagogastric varices with bucrylate. II. Morphologic study based on 12 autopsy cases	<u>Fabiani B, Degott C, Ramond MJ, Valla D, Benhamou JP, Potet F.</u>
687	Endoscopic obturation of esophagogastric varices with bucrylate. I. Clinical study of 49 patients	<u>Ramond MJ, Valla D, Gotlib JP, Rueff B, Benhamou JP.</u>
688	Urinary fistula after the use of adhesives on the renal parenchyma	<u>Somogyi L, Hegedus M.</u>
689	Effects of isobutyl-2-cyanoacrylate on bone healing.	<u>Hampel NL, Pijanowski GJ, Johnson RG.</u>
690	Experimental renal artery embolization with self-made bucrylate	<u>Lin G.</u>
691	Intra-operative embolization of cerebral arteriovenous malformations by means of isobutylcyanoacrylate (experience in	<u>Deruty R, Lapras C, Patet JD, Bascoulergue Y, Pialat J, Honorato D.</u>
692	Cyanoacrylate tissue gluing in corneal perforations	<u>Skorpik C, Gnad HD, Paroussis P.</u>
693	Isobutyl cyanoacrylate nanoparticles as a solid phase for an efficient immunoradiometric assay.	<u>Manil L, Roblot-Treupel L, Couvreur P.</u>
694	Massive arterial hemorrhage in patients with pancreatitis. Complementary roles of surgery and transcatheter occlusive techniques.	<u>Waltman AC, Luers PR, Athanasoulis CA, Warshaw AL.</u>
695	Long-term pathological follow-up of cerebral arteriovenous malformations treated by embolization with bucrylate.	<u>Vinters HV, Lundie MJ, Kaufmann JC.</u>
696	Long-term embolization of the portal vein with isobutyl-2-cyanoacrylate in hepatoma	<u>Matsuoka T, Nakatsuka H, Nakamura K, Kaminou T, Manabe T, Yamada T, Kobayashi N, Onoyama Y, Kinoshita H, Hirohashi K, et al.</u>
697	Butylcyanoacrylate adhesives in microvascular surgery: an experimental pilot study.	<u>Green AR, Milling MA, Green AR.</u>
698	Embolization treatment of varicocele using a radiopaque tissue adhesive-- Kunnen's modified method	<u>Mansfeld L, Poehls C, Mertins D, Ranft R, Solga U.</u>
699	Combined use of bioplast and tissue adhesive in experimental nephrectomies in situ renal hypothermia.	<u>Miko I, Furka I.</u>
700	Intraoperative embolization of cerebral arteriovenous	<u>van Alphen HA.</u>
701	Embolization of arteriovenous malformations using compression. Apropos of 11 cases	<u>Riche MC, Melki JP, Reizine D, Jue-Denis P, Merland JJ, Natali J.</u>
702	Sutureless closure of the renal wound surface by extracorporeal renal surgery on dogs.	<u>Miko I, Szabo Z, Furka I, Pinter J.</u>
703	Endoscopic obliteration of large esophagogastric varices with bucrylate.	<u>Soehendra N, Nam VC, Grimm H, Kempeneers I.</u>
704	Adjusting the polymerization time of isobutyl-2 cyanoacrylate.	<u>Spiegel SM, Vinuela F, Goldwasser JM, Fox AJ, Pelz DM.</u>
705	Endovascular treatment with isobutyl cyano acrylate in patients with arteriovenous malformation of the brain. Indications, results and complications.	<u>Merland JJ, Rufenacht D, Laurent A, Guimaraens L.</u>
706	Improved technique of bucrylate embolisation in brain arteriovenous malformation. The use of additional temporary	<u>ApSimon HT, Khangure MS.</u>
707	Experimental basis of angioinfarction for the treatment of renal hypertension.	<u>Rassweiler J, Kauffmann GW, Richter G, Fuchs G, Miller K.</u>

708	Morphological studies of human arteriovenous malformations. Effects of isobutyl 2-cyanoacrylate embolization.	<u>Klara PM, George ED, McDonnell DE, Pevsner PH.</u>
709	Balloon catheter technic and embolization--new therapeutic approaches in cerebral and spinal blood vessel malformations	<u>Trattnig S, Samec P, Zeiler K.</u>
710	Staining procedure to aid in assessment of bucrylate histotoxicity in tissue sections.	<u>Lundie MJ, Ellyatt D, Kaufmann JC, Vinters HV.</u>
711	Rolandic arteriovenous malformations: improvement in limb function by IBC embolization.	<u>Fox AJ, Girvin JP, Vinuela F, Drake CG.</u>
712	Use of butyl-2-cyanoacrylate in rabbit auricular cartilage.	<u>Fung RQ, Ronis ML, Mohr RM.</u>
713	Enbucrilate as cartilage adhesive in augmentation rhinoplasty.	<u>Sachs ME.</u>
714	Factors affecting the probability of conception after treatment of subfertile men with varicocele by transcatheter embolization with Bucrylate.	<u>Comhaire FH, Kunnen M.</u>
715	Animal experiments of neuroma treatment with histoacryl	<u>Martini AK.</u>
716	Endoscopic gluing of postoperative bronchial fistulas	<u>Moritz E, Eckersberger F.</u>
717	The formation of ultrastructural epithelial and subepithelial connective tissue changes in experimentally induced cholesteatomas in guinea pigs.	<u>Galic M, Heumann H, Pohl D, Steinbach E.</u>
718	Experimental carotid aneurysms: Part 2. Endovascular treatment with cyanoacrylate.	<u>Kerber CW, Cromwell LD, Zanetti PH.</u>
719	The histotoxicity of cyanoacrylates. A selective review.	<u>Vinters HV, Galil KA, Lundie MJ, Kaufmann JC.</u>
720	Peroperative embolization of cerebral arteriovenous malformations with butylcyanoacrylate (18 cases)	<u>Deruty R, Lapras C, Pierluca P, Patet JD, Pialat J, Bascoulergues Y, Garcia C.</u>
721	Management of corneal descemetocelles and perforations.	<u>Arentsen JJ, Laibson PR, Cohen EJ.</u>
722	Blood loss following dental extractions in anticoagulated rabbits: effects of tranexamic acid and socket packing.	<u>Vinckier F, Vermynen J.</u>
723	Isobutyl cyanoacrylate: a clinical and histologic comparison with sutures in closing mucosal incisions in monkeys.	<u>Javelet J, Torabinejad M, Danforth R.</u>
724	Morphometric and histological examinations of dog kidneys after embolization of the renal artery with the cyanoacrylic glue "Chirurgoll-Polfa".	<u>Cylwik B, Darewicz J, Karasewicz B.</u>
725	Effect of low molecular dextran on maternal microrheologic parameters, fetal heart rate and transcutaneous fetal oxygen partial pressure in labor	<u>Kurz CS, Heilmann L, Ludwig H.</u>
726	Embolization of glomus tumors of the carotid: temporary or definitive?	<u>Popov K, Chinkov D.</u>
727	Histomorphologic studies of chemical osteosynthesis with "Kanokolit-B" in experimental mandibular fractures	<u>Weber SC, Chapman MW.</u>
728	Adhesives in orthopaedic surgery. A review of the literature and in vitro bonding strengths of bone-bonding agents.	<u>Coard K, Silver MD, Perkins G, Fox AJ, Vinuela EV.</u>
729	Isobutyl-2-cyanoacrylate pulmonary emboli associated with occlusive embolotherapy of cerebral arteriovenous malformations.	<u>Vinuela F, Fox AJ, Debrun G, Pelz D.</u>

730	Preembolization superselective angiography: role in the treatment of brain arteriovenous malformations with isobutyl-2	<u>Smolarek F, Plachta H, Maruszynski M.</u>
731	Surgical glue--kanakonlit B--in surgery	<u>Hassan G, Ayoub A, el-Refai M.</u>
732	A clinical trial on isobutyl cyanoacrylate as a protective adhesive in recurrent aphthous ulceration (RAU).	<u>Tse DT, Panje WR, Anderson RL.</u>
733	Cyanoacrylate adhesive used to stop CSF leaks during orbital surgery.	<u>Rutherford S, Crawford JS, Hurwitz JJ.</u>
734	Silicone tubing used in intubating the lacrimal system. Joining the ends for easy removal.	<u>Debrun GM, Varsos V, Liszczak TM, Davis KR, Heros RS, Zervas NT.</u>
	Obliteration of experimental aneurysms in dogs with isobutyl-cyanoacrylate.	<u>Lenaerts V, Nagelkerke JF, Van Berkel TJ, Couvreur P, Grislain L, Roland M, Speiser P.</u>
736	In vivo uptake of polyisobutyl cyanoacrylate nanoparticles by rat liver Kupffer, endothelial, and parenchymal cells.	<u>Lenaerts V, Nagelkerke JF, Van Berkel TJ, Couvreur P, Grislain L, Roland M, Speiser P.</u>
737	Toxicity and association of polycyanoacrylate nanoparticles with hepatocytes.	<u>Kreuter J, Wilson CG, Fry JR, Paterson P, Ratcliffe JH.</u>
738	Effect of n-butyl-2-cyanoacrylate (histoacryl windowtext) on the healing of skin wounds.	<u>Galil KA, Schofield ID, Wright GZ.</u>
739	The healing of hamster skin ulcers treated with n-butyl-2-cyanoacrylate (Histoacryl windowtext).	<u>Galil KA, Wright GZ, Schofield ID.</u>
740	Embolization of small vessels with a double-lumen microballoon catheter. Part II: Laboratory, animal, and histological studies. Work in progress.	<u>ApSimon HT, Hartley DE, Maddren L, Harper C.</u>
741	Degradation of poly (isobutyl cyanoacrylate) nanoparticles.	<u>Lenaerts V, Couvreur P, Christiaens-Leyh D, Joiris E, Roland M, Rollman B, Speiser P.</u>
742	Therapeutic arterial embolisation: report of five years' experience.	<u>O'Halpin D, Legge D, MacErlean DP.</u>
743	Review of cyanoacrylate tissue glues with emphasis on their otorhinolaryngological applications.	<u>Ronis ML, Harwick JD, Fung R, Dellavecchia M.</u>
744	Implant material tolerance.	<u>Josset P, Meyer B, Gegu D, Chouard CH.</u>
745	Testing of the carcinogenicity and teratogenicity of the Bulgarian tissue adhesive kanokonlit-B	<u>Stoichev I, Purvanova L, Stoianov I, Chernozemski I.</u>
746	Morphology of embryonic stages of cholesteatoma in the guinea	<u>Pohl D, Galic M, Heumann H, Steinbach E.</u>
747	Fundamental studies of ultrasonic surgery. 5. Ultrasonically forced polymerization of Ligament-Fimomed in joining biological tissue	<u>Muller W, Fritzsich G, Neumann A, Muller T, Wehner W.</u>
748	Management of corneal descemetocelles and perforations.	<u>Arentsen JJ, Laibson PR, Cohen EJ.</u>
749	A non-tumoral esophago-bronchial fistula managed by isobutyl-2-cyanoacrylate.	<u>Barthelemy C, Audigier JC, Fraise H.</u>
750	Progressive thrombosis of brain arteriovenous malformations after embolization with isobutyl 2-cyanoacrylate.	<u>Vinuela F, Fox AJ, Debrun G, Drake CG, Peerless SJ, Girvin JP.</u>
751	Endoscopic closure of bronchial fistula.	<u>Roksvaag H, Skalleberg L, Nordberg C, Solheim K, Hoivik B.</u>
752	Dominant-hemisphere arteriovenous malformations: therapeutic embolization with isobutyl-2-cyanoacrylate.	<u>Vinuela FV, Debrun GM, Fox AJ, Girvin JP, Peerless SJ.</u>
753	Antibacterial effect of cyanoacrylate glue.	<u>Eiferman RA, Snyder JW.</u>
754	Tissue adhesive therapy for corneal perforations.	<u>Hirst LW, Smiddy WE, De Juan E.</u>

755	Experience with bucrylate (isobutyl-2-cyanoacrylate) embolization of cerebral arteriovenous malformations during surgery.	<u>Whittle IR, Johnston IH, Besser M, Lamond TS, de Silva M.</u>
756	Quantitative study of the interaction between polybutylcyanoacrylate nanoparticles and mouse peritoneal	<u>Guiot P, Couvreur P.</u>
757	Histopathologic effects of transarterial bucrylate occlusion of intracerebral arteries in mongrel dogs.	<u>Kish KK, Rapp SM, Wilner HI, Wolfe D, Thomas LM, Barr J.</u>
758	Treatment of cerebral arteriovenous malformations: combined neurosurgical and neuroradiologic approach.	<u>Cromwell LD, Harris AB.</u>
759	IBC occlusion for hemoptysis.	<u>Grenier P, Cornud F.</u>
760	Serum antiproteases and polymorphonuclear leucocyte neutral collagenolytic protease in the tear fluid of patients with corneal ulcers treated with n- butylcyano acrylate glue.	<u>Prause JU.</u>
761	Percutaneous embolization of bony pelvic neoplasms with tissue adhesive.	<u>Keller FS, Rosch J, Bird CB.</u>
762	Cyanoacrylate in the repair of cervical pleural injury.	<u>Tovi F, Sidi J.</u>
763	Bronchial artery occlusion for severe hemoptysis: use of isobutyl-2 cyanoacrylate.	<u>Grenier P, Cornud F, Lacombe P, Viau F, Nahum H.</u>
764	Closing of fresh oro-antral perforations using butyl-2-	<u>Hinkow D.</u>
765	Treatment of the residual pancreatic stump with tissue adhesives	<u>Urbano D, Racalbuto A, Politi A, Succi L, Vasquez E, Latteri F.</u>
766	Interventional neuroradiology and the management of arteriovenous malformations and fistulas.	<u>Vinuela F, Fox AJ.</u>
767	Gluing spinal cord AVMs.	<u>Stewart DJ.</u>
768	Isobutyl 2-cyanoacrylate as an osseous adhesive in the repair of osteochondral fractures.	<u>Harper MC, Ralston M.</u>
769	Evaluation of three cyanoacrylate glues for ossicular	<u>Koltai PJ, Eden AR.</u>
770	Technical improvement in transcatheter embolization with 1- isobutyl-2-	<u>Nakano H, Senoo H.</u>
771	Securing anastomosis of the large intestine with glued autologous tissue	<u>Bornemisza G, Furka I, Tarsoly E, Miko I, Landanyi J.</u>
772	Comparative study on the cytostatic effects and the tissue distribution of 5- fluorouracil in a free form and bound to polybutylcyanoacrylate nanoparticles in sarcoma 180-bearing	<u>Kreuter J, Hartmann HR.</u>
773	Animal experiment studies on the prevention of adhesions and adhesion- induced ileus after intra-abdominal operations	<u>Li MJ, Tong EC.</u>
774	Intraoperative embolization of cerebral arteriovenous malformations in the awake patient.	<u>Girvin JP, Fox AJ, Vinuela F, Drake CG.</u>
775	Occlusion of a hepatic artery to portal vein fistula with bucrylate.	<u>Kerlan RK Jr, Bank WO, Hoddick WK, Pogany AC, Sollenberger RD.</u>
776	Therapeutic endoscopy	<u>Demling L.</u>
777	Emergency treatment of hemorrhage due to ruptured esophageal varices: continuous intra-arterial perfusion of vasopressin and transhepatic embolization: apropos of 81 patients	<u>Magotteaux P, Trotteur G, Huet B, Delvigne J.</u>
778	Isobutyl 2-cyanoacrylate embolization of a hepatoportal fistula.	<u>Ramchandani P, Goldenberg NJ, Soulen RL, White RI Jr.</u>
779	Transcatheter arterial embolization--major complications and their prevention.	<u>Miller FJ Jr, Mineau DE.</u>

780	133Xe-labeling of tissue adhesives for catheter embolization	<u>Ender G, Penzel E, Ritter H, Schumann E.</u>
781	Balloon catheters for aneurysms and fistulae.	<u>Tomsick TA, Tew JM Jr, Lukin RR, Johnson JK.</u>
782	Use of histoacryl tissue adhesive in iliac crest biopsy	<u>Gunther C, Neumann G, Kurze R.</u>
783	Technic and evaluation of the success of the closure of orognathic fistulas using a stabilized venous blood coagulum and a surgical adhesive]	<u>Zinner R.</u>
784	Transient occlusion of the tear ducts with tissue adhesives	<u>Turss R, Adolf HJ.</u>
785	Use of "Histoacryl N-blau" glue in surgical practice	<u>Lukach D, Takach M, Sklenarik D.</u>
786	Bleeding intrarenal pseudodiverticulum: successful superselective embolization (author's transl)	<u>Janson R, Meyer-Delpho M, Biersack HJ.</u>
787	Studies on human corneal ulcers treated with histoacrylic glue. Morphological studies of a successful and unsuccessful	<u>Prause JU, Jensen OA.</u>
788	Post-biopsy false arterial aneurysm of a transplanted kidney: treatment by bucrylate transcatheter embolization.	<u>Moreau JF, Merland JJ, Descamps JM.</u>
789	Two different calibrated-leak balloons: experimental work and application in humans.	<u>Debrun GM, Vinuela FV, Fox AJ, Kan S.</u>
790	The use of butyl cyanoacrylate as a tissue adhesive in maxillofacial and cranio-facial surgery.	<u>Avery BS, Ord RA.</u>
791	Embolization of cerebral arteriovenous malformations with	<u>Debrun G, Vinuela F, Fox A, Drake CG.</u>
792	Isobutyl-2-cyanoacrylate in the treatment of liver injuries in animal experiments	<u>Babayan R, Kloppel G.</u>
793	Experimental test of two tissue adhesives (GRF and IBC 2) in vascular microsurgery in the rat (author's transl)	<u>Olivier A, Leandri J, Loisance D.</u>
794	Interventional radiology polymer update: acrylic.	<u>Pevsner PH, George ED, Doppman JL.</u>
795	Sclerotic evolution of the swine pancreas secondary to central and peripheral obstruction of the excretory ductal system (anatomohistological study)]	<u>Picardi N, Di Tondo U, Monti M, Pasta V, Cappelletti M, Santeusano G, Forte A, Alberti E, D'Andrea G, Grassetti U, Rosati R, Guglielmi S, Venuti A, Marchetti P, Boemi L, Bilotti E.</u>
796	Histological differences in the healing of oral surgical wounds closed by suture and tissue adhesive in experimental animal	<u>Sulejmanagic H, Kucanski B.</u>
797	The technical application of the Bulgarian tissue adhesive "Kanokonlit-B" to wounds of varying location in the maxillofacial	<u>Chinkov D.</u>
798	Tissue reaction to Histoacryl windowtext adhesive and histological investigation of its disappearance in various organs.	<u>Tarsoly E, Bornemisza G, Furka I.</u>
799	Intraoperative embolisation of cerebral arteriovenous malformations with isobutyl-2-cyanoacrylate (bucrylate).	<u>de Lange JJ, Baerts WD, Pearce C.</u>
800	Experimental studies on new liquid embolization mixtures (histoacryl-lipiodol, histoacryl-panthopaque).	<u>Stoesslein F, Ditscherlein G, Romaniuk PA.</u>
801	Transhepatic embolization in patients with acute variceal hemorrhage.	<u>Turner WW Jr, Ellman BA.</u>
802	Pathology of arteriovenous malformations embolized with isobutyl-2-cyanoacrylate (bucrylate). Report of two cases.	<u>Vinters HV, Debrun G, Kaufmann JC, Drake CG.</u>
803	Experience with the tissue adhesive Bucaryl in dental practice	<u>Ujpal M.</u>
804	Liver transplantation. Experimental aspects	<u>Duca S.</u>

805	Tissue adhesives in hair transplant surgery.	Morrison ID.
806	Infarction of renal tumors using isobutyl-2 cyanoacrylate and	Papo J, Baratz M, Merimsky E.
807	Complications of transcatheteral occlusion of abdominal arteries (author's transl)	Vogel H, Belz J, Bucheler E.
808	Experience with transrenal ureteral occlusion (author's transl)]	Wanner K, Marx FJ.
809	A catheter system for the safe and efficient delivery of tissue glues (bucrylate) for visceral embolization.	Khangure MS, Ap Simon HT, Chakera TM, Hartley DE.
810	Intra-arterial tissue adhesive for medical splenectomy in humans.	Goldman ML, Philip PK, Sarrafizadeh MS, Sarfeh IJ, Salam AA, Galambos JT, Powers SR, Balint JA.
811	Capillary embolization. Part II. Occlusion of the entire arterial system of experimentally induced renal tumors	Richter G, Rohrbach R, Kauffmann GW, Rassweiler J.
812	Non-surgical cure of varicocele by embolization with isobutyl-2-cyano- acrylate (author's transl)	Kunnen M.
813	Upper lid blepharoplasty: skin closure achieved with butyl-2-cyanoacrylate.	Kosko PI.
814	Experimental and clinical study of the use of an adhesive (Histoacryl-Blau) in intestinal anastomoses	Catona A, Tinozzi S, Valesi MG, Puntillo A, Beviglia E.
815	Treatment of intracerebral arteriovenous malformations with isobutyl 2- cyanoacrylate: initial clinical experience.	Bank WO, Kerber CW, Cromwell LD.
816	Superselective embolisation in the urogenital tract with tissue adhesives (author's transl)]	Gunther R, Klose K, Thelen M, Jacobi G.
817	Value of the use of tissue adhesive (Braun Histoacryl) and its importance as a safety measure in difficult anastomoses	Bertolotto E, Botta L, Torelli P, Buscaglia M, Steinweg M.
818	Neuroradiologic interventional procedures.	Berenstein A, Kricheff II.
819	Prophylaxis and therapy of recurrent ileus by external splinting of small bowel with butyl-cyanoacrylate (author's transl)	Janneck C.
820	Histoacryl in sutureless uretero-ureteral anastomosis: an experimental study	Merimsky E, Baratz M.
821	Bone dust and adhesive material for closing bony breaches of the skull. A new method.	Davini V, Rivano C, Borzone M, Tercero E.
822	Posttraumatic biliary fistulae in childhood (author's transl)	Meissner F.
823	[Percutaneous embolization of renal cancer. Clinical evaluation (author's transl)	Fasce L, Fassone M, Positano N, Nadalini VF, Bruttini GP, Medica M,
824	Clinico-pathological studies on the effects of alpha-cyanoacrylates as liners for human vital teeth.	Hashida K, Okada T, Ito A, Asai Y.
825	New surgical correction of central airway collapse in an asthmatic patient.	Halttunen P, Meurala H, Standerskjold- Nordenstam CG.
826	Therapeutic occlusion of the hypogastric arteries with isobutyl-2-cyanoacrylate in vesical and prostatic cancer (author's transl)	Nadalini VF, Positano N, Bruttini GP, Medica M, Fasce L.
827	Intravascular use of isobutyl 2-cyanoacrylate: Part 2 Treatment of carotid- cavernous fistulas.	Samson D, Ditmore QM, Beyer CW Jr.
828	Intravascular use of isobutyl 2-cyanoacrylate: Part 1 Treatment of intracranial arteriovenous malformations.	Samson D, Ditmore QM, Beyer CW Jr.
829	Antibacterial activity of the tissue adhesive N-butyl-2-cyanoacrylate- monomer	Sulejmanagic H, Kucanski B, Gojkov T.

830	Neurosurgical applications of the cyanoacrylate adhesives.	<u>Mickey BE, Samson D.</u>
831	The application of 2-cyanoacrylate-monomer as tissue adhesive in oral surgery	<u>Sulejmanagic H.</u>
832	The effect of butylcyanoacrylate on wound healing in the tongue of rats	<u>Kvasnicka J, Dobias J.</u>
833	Experimental studies with new embolization material (cyanoacrylate-contrast medium mixture). Part 1 (author's transl)	<u>Stosslein F, Romaniuk P, Ditzscherlein G.</u>
834	Simple application of tissue-adhesive contrast-medium mixtures for transversal tumour embolization (author's transl)	<u>Stosslein F, Romaniuk P.</u>
835	Intra operative embolization of unresectable cerebral arteriovenous malformations. Occlusion attempt by means of a delayed polymerization mixture. Report of two cases (author's transl)	<u>Deruty R, Lapras C, Bret P, Taboada F, Duthel R.</u>
836	Polish tissue adhesive "Chirurcoll/Polfa" in stuffing up surgical capsule wound after adenomectomy by Millin's method.	<u>Musierowicz A.</u>
837	Palliative embolization of renal tumors: follow-up of 19 cases.	<u>Ekelund L, Karp W, Mansson W, Olsson AM.</u>
838	The effects of an adhesive in the middle ear.	<u>Heumann H, Steinbach E.</u>
839	Use of cyanoacrylate in free gingival grafts	<u>Caride ER, Meiss A.</u>
840	Bucrylate embolization of abdominal aortic aneurysms: an adjunct to nonresective therapy.	<u>Goldman ML, Sarrafizadeh MS, Philip PK, Karmody AM, Leather RP, Parikh N, Powers SR.</u>
841	New techniques for embolisation of the internal spermatic vein: intravenous tissue adhesive (author's transl)	<u>Kunnen M.</u>
842	Trans-catheter extraction of dispersed embolization material	<u>Gunther R.</u>
843	Transrenal ureteric embolisation. Experimental and clinical results (author's transl)	<u>Gunther R, Klose K, Bohl J, Marberger M.</u>
844	The use of tissue adhesives in surgical repair of the colon. Experimental studies	<u>Cannizzaro MA, Acquaviva A, Nicotra P, Ternullo B, Pardo G, Amodeo C, Caqlia P, Tracia A.</u>
845	Tissue adhesive Histoacryl (2-cyano-butyl-acrylate) in experimental middle ear surgery.	<u>Siedentop KH.</u>
846	Definitive treatment of selected vascular injuries and post-traumatic arteriovenous fistulas by arteriographic embolization.	<u>McNeese S, Finck E, Yellin AE.</u>
847	Experimental research on the use of tissue adhesives in reparative surgery of the bladder	<u>Cannizzaro MA, Nicotra P, Acquaviva A, Ternullo B, Pardo G, Cosentino F, Ferrara F, Bosco M.</u>
848	Trans-catheter embolisation of the spleen with butyl-2-cyanoacrylate. Experimental results and clinical application	<u>Gunther R, Bohl J, Klose K, Anger J.</u>
849	Tissue adhesive arrests stromal melting in the human cornea.	<u>Fogle JA, Kenyon KR, Foster CS.</u>
850	Embolization with isobutyl-cyanoacrylate. Preliminary experimental results (author's transl)	<u>Mazoyer JF, Lapray JF, Pialat J, Barral G, Chignier E.</u>
851	A composite of porous calcium sulphate dihydrate and cyanoacrylate as a substitute for autogenous bone.	<u>Frame JW.</u>
852	Intracranial saccular aneurysms: experimental evaluation of intravascular therapeutic procedures	<u>Siqueira MG, Vieira IA, Cilio EA, Guerra DM.</u>
853	In vitro heterogeneous degradation of poly(n-alkyl alpha-cyanoacrylates).	<u>Veizin WR, Florence AT.</u>

854	Results of clinical use of surgical glue, Histoacryl N-Blau manufactured by Braun	<u>Ziaja K, Gorka Z, Brzezinski R, Dabrowski M.</u>
855	Isobutyl-2-cyanoacrylate in atypical liver resection in rats and rabbits: surgical technic and histostructural observations (author's transl)	<u>Minni F, Taffurelli M, Grassigli A, Luchini U, Carlomagno G.</u>
856	Isobutyl-2-cyanoacrylate in resection of the upper pole of the kidney in rats and rabbits: surgical technic and histological followup (author's transl)	<u>Taffurelli M, Minni F, Grassigli A, Luchini U, Seracchioli S.</u>
857	Experimental nonsuture colonic anastomoses.	<u>Kirkegaard P, Christensen AB, Ibsen J, Hegedus V, Christiansen J.</u>
858	Arterial complications during therapeutic vesicorenal embolizations (author's transl)	<u>Nadalini V, Positano N, Bruttini GP, Piccardo M, Fasce L.</u>
859	Transcatheter embolization of intrahepatic arterial aneurysms.	<u>Kadir S, Athanasoulis CA, Ring EJ, Greenfield A.</u>
860	Transcatheter embolization of the renal artery with bucrylate in renal carcinoma.	<u>Skjennald A, Klevmark B, Stenwig JT.</u>
861	Therapeutic embolization in angiomas and tumors.	<u>Peeters FL.</u>
862	Preoperative embolization of renal tumors--comparison of different methods.	<u>Schulman CC, Struyven J, Giannakopoulos X, Mathieu J.</u>
863	Angiographic nephrectomy as a nonsurgical treatment of ureteral fistulas.	<u>Nadalini VF, Positano N, Bruttini GP, Piccardo M, Medica M, Fasce L.</u>
865	The small fragment in the finger and middle hand region	<u>Geldmacher J.</u>
866	Repair of spinal cerebrospinal fluid fistula with the use of a tissue adhesive: technical note.	<u>Papadakis N, Mark VH.</u>
867	Evaluation of n-butyl 2-cyanoacrylate for the reconstruction of the arteries in dogs. II. Morphological evaluation	<u>Szymas J, Liebert W.</u>
868	Studies on the use of tissue adhesives in cataract microsurgery	<u>Hermel B.</u>
869	Report of findings on wound tissue adhesives in pediatric surgery	<u>Janneck C.</u>
870	The toxicity of histoacrylic windowtext as observed in living cells (author's transl)	<u>Novak L, Puza V.</u>
871	Qualitative and quantitative effects of ACTH, piromen, cytozan and isobutyl- 2-cyanoacrylate treatments following spinal cord transection in rats.	<u>Gelderd JB, Matthews MA, St Onge MF, Faciane CL.</u>
872	Interventional techniques in neuroradiology.	<u>Dubois PJ, Kerber CW, Heinz ER.</u>
873	Histoacryl glue. A prospective comparative study of sutures and Histoacryl glue	<u>Lose G, Olsen BK, Antonsen H.</u>
874	Tissue glue in minor skin lesions. A prospective controlled comparison between tissue glue and the suturing of skin minor lesions	<u>Schultz A, Olesgaard P.</u>
875	Obliteration of esophageal varices by PTP: a follow-up of 43	<u>Bengmark S, Borjesson B, Hoevels J, Joelsson B, Lunderquist A, Owman T.</u>
876	Transcatheter occlusive therapy of genitourinary abnormalities using isobutyl 2-cyanoacrylate (Bucrylate).	<u>Freeny PC, Bush WH Jr, Kidd R.</u>
877	Catheter and material selection for transarterial embolization: technical considerations. II. Materials.	<u>Berenstein A, Kricheff II.</u>
878	Transrenal ureteral embolization.	<u>Gunther R, Marberger M, Klose K.</u>

879	Revascularization of bladder neoplasms after percutaneous embolization of the hypogastric arteries	<u>Nadalini V, Bruttini CP, Positano N, Piccardo M.</u>
880	Facial nerve repair with tissue adhesive.	<u>Siedentop KH, Loewy A.</u>
881	Cyanoacrylate occlusion of a spinal cord arteriovenous malformation. Case report.	<u>Margolis MT, Freeny PC, Kendrick MM.</u>
882	Long-term radiographic-pathologic follow-up of patients treated with visceral transcatheter occlusion using isobutyl 2-cyanoacrylate (Bucrylate).	<u>Freeny PC, Mennemeyer R, Kidd CR, Bush WH.</u>
883	Tissue adhesive derivatives of 2-cyanoacrylic acid used in urology	<u>Musierowicz A.</u>
884	Transcatheter arterial embolization in urological tumors: the use of isobutyl- 2-cyanoacrylate.	<u>Giuliani L, Carmignani G, Belgrano E, Puppo P.</u>
885	Modification of cyanoacrylate for therapeutic embolization: preliminary experience.	<u>Cromwell LD, Kerber CW.</u>
886	Effects of adhesion promoters on resin-enamel retention.	<u>Jedrychowski JR, Caputo AA, Foliart R.</u>
887	Balloon treatment of cerebrovascular lesions.	<u>Martins AN.</u>
888	Forums in gastrointestinal roentgenology: transhepatic portal venography and selective obliteration of gastroesophageal varices using isobutyl 2- cyanoacrylate (bucrylate).	<u>Freeny PC, Kidd R.</u>
889	Cyanoacrylate occlusion of carotid-cavernous fistula with preservation of carotid artery flow.	<u>Kerber CW, Bank WO, Cromwell LD.</u>
890	Tissue adhesives: new perspectives in corneal perforations.	<u>Hirst LW, Stark WJ, Jensen AD.</u>
891	Histoacryl adhesive used for closure of traumatic wounds	<u>Antonsen H, Lose G, Olsen BK.</u>
892	Calibrated leak balloon microcatheter: a device for arterial exploration and occlusive therapy.	<u>Kerber CW, Bank WO, Cromwell LD.</u>
893	Use of "Konokonlit B", butyl-cyano-acrylate tissue adhesive, for caesarean section (author's transl)	<u>Kosowski I, Gardewski M, Randew J.</u>
894	Histological studies of osteosyntheses using cyanoacrylates	<u>Tiling T, Meffert O, Stankovic P.</u>
895	Covering the resected surface of parenchymatous organs with histoacryl-N-window text tissue adhesive and a seromuscular patch from the gastric wall	<u>Lengyel E, Somogyvari K, Kun M, Vimlati L.</u>
896	Prevention of suture insufficiency using seromuscular gastric wall patch	<u>Lengyel E, Somogyvari K, Kun M, Vimlati L.</u>
897	Experimental dermatoplasty of skin defects with an absorbable bioplastic preparation.	<u>Bornemisza G, Ladanyi J, Miko I.</u>
898	Palliative embolization of arterial renal tumour supply. Results in 10 cases.	<u>Ekelund L, Mansson W, Olsson AM, Stigsson L.</u>
899	Carotid cavernous fistula: endarterial cyanoacrylate occlusion with preservation of carotid flow.	<u>Bank WO, Kerber CW, Drayer BP, Troost BT, Maroon JC.</u>
900	Use of adhesive histoacryl in corneal perforation in the rabbit. Histological and histochemical examinations (author's transl)	<u>Winter R, Pulhorn G.</u>
901	Experimental internal iliac artery embolization: evaluation of low viscosity silicone rubber, isobutyl 2-cyanoacrylate, and carbon microspheres.	<u>Miller FJ Jr, Rankin RS, Gliedman JB.</u>

902	Transcatheter vascular occlusion therapy with isobutyl 2-cyanoacrylate (bucrylate) for control of massive upper-gastrointestinal bleeding.	<u>Goldman ML, Freeny PC, Tallman JM, Galambos JT, Bradley EL 3rd, Salam A, Oen KT, Gordon IJ, Mennemeyer R.</u>
903	Cyanoacrylate as a cavity liner for amalgam restorations.	<u>Newman SM, Valadez SK, Hembree JH Jr.</u>
904	First clinical results with isobutyl-2-cyanoacrylate in the arterial embolisation of cancer of the kidney (author's transl)	<u>Carmignani G, Belgrano E, Puppo P.</u>
905	Early results of surgical fixation of the bladder neck with the aid of Polish- made tissue adhesive in urinary stress incontinence in women	<u>Kazon M, Nowkunski J, Rachwal-Sochacka L, Ostatek R.</u>
906	Repair of common bile duct defects using a sutureless technique with autoplasic parietal-peritoneal patches: an experimental	<u>Orda R, Wiznitzer T, Bawnik JB, Shilo R.</u>
907	Intraocular application of tissue adhesive (histoacryl) in retinal detachment surgery. A clinicopathologic report of two cases.	<u>Faulborn J, Witschel H.</u>
908	Congenital arteriovenous malformations of the upper extremity.	<u>Griffin JM, Vasconez LO, Schatten WE.</u>
909	Clots, oxycel, gelfoam, barium, and cyanoacrylates in transcatheter embolization of rat kidney.	<u>Carmignani G, Belgrano E, Martorana G, Puppo P.</u>
910	Butylcyanoacrylate--an adhesive for bonding strain gages to non-fixed biological materials (author's transl)	<u>Kusswetter W, Permooser F, Ungethum M.</u>
911	Biological reaction of various tissues to butylcyanoacrylate	<u>Kvapilova J, Novak L, Bartos F.</u>
912	Selective transfemoral embolization of the internal iliac artery in carcinoma of the bladder (author's transl)	<u>Bruhl P, Thelen M.</u>
913	Transcatheter embolization of the kidney with butyl-2-cyanoacrylate: experimental and clinical results.	<u>Gunther R, Schubert U, Bohl J, Georgi M, Marberger M.</u>
914	About the fixation of the transoxide for continuous measurements of fetal oxygen tension during labour (author's transl)	<u>Liedtke B, Waschmann M, Tillmann W.</u>
915	Experimental studies in animals concerning adhesive orchiopexy (author's transl)	<u>Klippel KF, Wenderoth U.</u>
916	Preoperative occlusion of the hepatic artery with isobutyl 2-cyanoacrylate for resection of the "unresectable" hepatic tumor.	<u>Shermeta DW, Golladay ES, White RI Jr.</u>
917	Surgery of maldescensus testis. Orchidopexy using tissue	<u>Hintze J, Bauke G.</u>
918	Treatment with oxidized cellulose of the resection surface of the	<u>Bornemisza G, Szentkereszty B, Miko I.</u>
919	Spinal cord transection and subsequent treatment with cyclophosphamide or isobutyl-2-cyanoacrylate: associated microvascular abnormalities.	<u>Matthews MA, Onge MF, Faciane CL, Barrett ML, Gelderd JB.</u>
920	Macroscopic and microscopic findings in intraocularly applied tissue adhesives	<u>Faulborn J, Witschel H.</u>
921	Tissue adhesives in oculomotor muscle surgery	<u>Flick H, Tauchert A.</u>
922	Tissue adhesives in retinal surgery	<u>Spitznas M.</u>
923	Cyanoacrylates in transcatheter renal embolization.	<u>Carmignani G, Belgrano E, Puppo P, Giuliani L.</u>
924	Intraarterial cyanoacrylate: an adjunct in the treatment of spinal/paraspinal arteriovenous malformations.	<u>Kerber CW, Cromwell LD, Sheptak PE.</u>
925	Isobutyl 2-cyanoacrylate (bucrylate) in obliteration of gastric coronary vein and esophageal varices.	<u>Lunderquist A, Borjesson B, Owman T, Bengmark S.</u>

926	Experimental studies on the antimicrobial effect of several butylcyanoacrylate tissue adhesives	<u>Uhlig R, Gitt HA, Wildfuhr W.</u>
927	Evaluation of techniques and material used in pulpal therapy based on a review of the literature: part II	<u>Woehrlen AE Jr.</u>
928	Reaction of rabbit cornea to Histoacryl tissue adhesive	<u>Winter R, Pulhorn G.</u>
929	Use of cyanoacrylate tissue adhesives, Chirurgoll, in thoracic	<u>Langer J.</u>
930	Therapeutic embolization with long-term occluding agents and their effects on embolized tissues.	<u>White RI Jr, Strandberg JV, Gross GS, Barth KH.</u>
931	Cyanoacrylate glue (histacryl) used for experimental scleral infolding (author's transl)	<u>Mondelski S, Szczypinski J, Plucinska H.</u>
930	Angiographic infarction of a large hypernephroma with a tissue adhesive for control of hematuria.	<u>Sullivan M, Rosch J, Hodges CV.</u>
933	Use of tissue adhesives in stomatological surgery	<u>Krajnik J, Nowicka K, Bittner H, Kamprowska BA.</u>
934	Management of nephrotomy wound in dogs by means of a pedunculated omental flap and tissue adhesive (histoacryl-windowtext by B. Braun, Melsungen	<u>Musierowicz A, Chilimoniuk M, Boczon S, Pietraszek T.</u>
935	Histological and histochemical studies of kidneys treated with tissue adhesive, histoacryl-blau, in rats	<u>Chilimoniuk M, Musierowicz A, Boczon S, Salatowska M.</u>
936	Peripac and Histoacryl as bandaging materials after removal of dental calculus and subgingival curettage	<u>Treinen J, Lampert F.</u>
937	Use of histoacryl N-blau adhesive tissue for spleno-hepatic anastomosis	<u>Lampe P, Ziaja K, Kalacinski J, Skrzewski S, Gorka Z.</u>
938	Use of the adhesive isobutyl-2-cyanoacrylate in the treatment of external fistulas after trabeculectomy; apropos of 2 cases	<u>Bechetoille A, Chabanais JL, Jallet G.</u>
939	The treatment of intracranial aneurysms by injection with a tissue adhesive.	<u>Sheptak PE, Zanetti PH, Susen AF.</u>
940	Comparative studies on the breaking strength of tissue adhesives of the butylcyanoacrylate type	<u>Gitt HA, Hlubna-Daum E, Zennig S.</u>
941	[Preliminary evaluation of Polish surgical tissue adhesive Chirurgoll Polfa in urology	<u>Kazon M, Rachwal-Sochacka L, Wasik J.</u>
942	Renal cancer embolization with isobutyl-2-cyanoacrylate. Experimental study and first clinical applications (author's transl)	<u>Giuliani L, Carmignani G, Belgrano E, Puppo P.</u>
943	Kidney damage during translumbar aortography treated by selective catheter embolisation (author's transl)	<u>Gunther R, Jonas U, Jacobi GH.</u>
944	Cyanoacrylate occlusion of a renal arteriovenous fistula.	<u>Kerber CW, Freeny PC, Cromwell L, Margolis MT, Correa RJ Jr.</u>
945	Radiology now. Therapeutic angiographic embolization.	<u>Dick R.</u>
946	Extraocular muscle transplantation.	<u>Hiatt RL.</u>
947	Transcatheter embolization in renal pathology (author's transl)	<u>Struyven J, Mathieu J, Brion JP, Potvliege R, Schulman C.</u>
948	Tissue adhesives (N-butyl-2-cyanoacrylate) in surgery of the nasal septum. Preliminary communication	<u>Zakrzewski J, Konczewska H.</u>
949	Embolization of renal arteries with cyanacrylic polymer administered through catheter for control of traumatic haemorrhages. Experiments on dogs	<u>Szmigielski W, Klamut M, Rubaj B, Studnicki W.</u>
950	Uncontrollable hemorrhage and tissue adhesive.	<u>Kirkegaard P, Hjelms E, Andersen K.</u>

951	Pulp capping using isobutyl-2-cyanoacrylate (author's transl)	Carvalho NA.
952	Presentation of a technic for free gingival grafts: fixation using N-butyl	Bonfil JJ, Arlettaz-Henry MC, Jarricot E.
953	Morphological studies on experimental adhesion of gastric perforations in infected surroundings	Luciak M, Kubicki B, Ziaja K, Ginko T.
954	Mesenteric fold by biological glue. Experimental study and clinical application (author's transl)	Charles JF, Barra JA, Leroy JP.
955	Histoacryl tissue adhesive in some types of retinal detachment surgery.	Regenbogen L, Romano A, Zuckerman M, Stein R.
956	Cyanoacrylate tissue adhesive in osseous repair.	Hunter KM.
957	Therapeutic renal arterial occlusion for elimination of proteinuria: 'medical nephrectomy'.	Henrich WL, Goldman M, Dotter CT, Rosch J, Bennett WM.
958	Interfacial properties of polymethyl alpha-cyanoacrylate and polybutyl alphacyanoacrylate.	Florence AT, Haq ME, Johnson JR.
959	Use of surgical glue N-butyl-2-cyanoacrylate in renal surgery in rabbits	Rachwal-Sochacka L.
960	In vitro activity of N-butyl esters of 2-cyanoacrylic acid against microorganisms isolated from cases of urinary tract infections	Musierowicz A, Dzierzanowska D, Kurnatowski W.
961	Faults and risks in rhinoplasty (author's transl)	Kastenbauer ER.
962	Use of isobutyl ester of 2-cyanoacrylic acid in the prevention of bile and blood escape following diagnostic liver puncture	Krajka K, Roszkiewicz A, Jaskowski J, Anisimowicz L.
963	Catheter embolisation of metastasising renal carcinomas using butyle-2-cyano-acrylate (author's trabsl)	Thelen M, Bruhl P, Gerlach F, Biersack HJ.
964	The reaction of the rat molar pulp to various materials.	Paterson RC.
965	Use of tissue glue (butyl-2-cyanacrylate) for creation of loop ureterostomy	Musierowicz A.
966	Tissue adhesives in facial-nerve surgery	Murata K, Fisch U.
967	Experimental skin replacement by means of absorbing alloplastic material	Bornemisza G, Ladanyi J, Miko I.
968	Punctal occlusion with n-butyl cyanoacrylate tissue adhesive.	Patten JT.
969	Pigmented moles--diagnosis and procedure (author's transl)	Bogdanowski T, Szczeklik-Franek A.
970	Experimental restoration of skin defects with Surgicel soaked in blood.	Bornemisza G, Miko I.
971	Securing of intestinal sutures	Bornemisza G, Miko I.
972	Cyanoacrylate for closure of wounds in the oral mucosa in dogs.	Eriksson L.
973	Studies concerning the hsitotoxicity of isobutyl-2-cyanoacrylate tissue	Greer RO Jr.
974	Use of Polish surgical glues in extensive traumatic damage of the renal parenchyma	Rachwal-Sochacka L.
975	Evaluation of tissue glues (butyl cyanoacrylate glues) in the management of extensive renal wounds in pigs	Musierowicz A, Boczon S, Chilimoniuk M, Pietraszek T, Kurnatowski W.

976	Experimental catheter obstruction of the gastric coronary vein. Possible technique for percutaneous intravascular tamponade of the gastroesophageal varices.	Rosch J, Goldman ML, Dotter CT.
977	In vitro determination of the antimicrobial properties of two cyanoacrylate preparations.	Blum GN, Nolte NA, Robertson P.
978	Adhesive sealing of fissures and pits for the prevention of caries.	Pilz W.
979	Cyanoacrylate as a periodontal dressing.	Levin MP, Cutright DE, Bhaskar SN.
980	Effect of fissure sealants on the prevention and progress of caries in rats.	El-Kafrawy AH, Mitchell DF.
981	Long-range effects of Ivalon sponge containing isobutyl cyanoacrylates on rat tissue. A quantitative planimetric study.	Soni NN, Whitehurst VE, Knight RS, Sinkford JC.
982	Complications in mediastinoscopy - a possibility of direct therapy	Kottmann UR, Jung H, Wernitsch W.
983	Actinomycetales from corn.	Lyons AJ, Pridham TG, Rogers RF.
984	Enteroanastomosis with the use of N-butyl-cyanoacrylate	Vara-Thorbeck C, Vara-Lopez R, Vara-Thorbeck R.
985	Instant selective arterial occlusion with isobutyl 2-cyanoacrylate.	Dotter CT, Goldman ML, Rosch J.
986	The management of enteric fistulas in dehiscenced wounds with isobutyl	Degenshein GA.
987	Experimental arteriovenous fistula. Creation and percutaneous catheter obstruction with cyanoacrylate.	Kerber C.
988	Treatment of liver wounds with isobutyl-2-cyanoacrylate under ischemic conditions	Koning J, den Otter G, Blok P, Visser JJ.
989	Application of histoacryl-N-blau and Surgicel in experimental pancreas injuries and resections.	Bornemisza G, Miko I, Ladanyi J, Demeny P.
990	Treatment of experimental oesophageal perforation.	Bornemisza G, Miko I.
991	Repair of hepatic and splenic injuries by autoplasic peritoneal patches and butyl-2-cyanoacrylate monomer. An experimental	Orda R, Wiznitzer T, Goldberg GM, Ezer M.
992	Microsurgical techniques and the use of tissue adhesive in the repair of peripheral nerves.	Hurwitz PJ, Magora A, Gonen B, Appelboim J, Ben-Hur N.
993	Cyanoacrylate and oral wound healing in hamsters.	Giunta JL, Shklar G.
994	Biodegradable ceramic in periodontal defects.	Levin MP, Getter L, Cutright DE, Bhaskar SN.
995	Nephropexy using the tissue adhesive butylcyanoacrylate	Witter H, Burger K, Hubner R, Wendt F.
996	A study of tissue response to cyanoacrylate adhesive in periodontal surgery.	Binnie WH, Forrest JO.
997	A preliminary histologic study of the wound healing of mucogingival flaps when secured with the cyanoacrylate tissue	Miller GM, Dannenbaum R, Cohen DW.
998	Reconstruction of ossicles by tissue glue (Histoacryl) in dogs.	Siedentop KH.
999	Polymers in stomatology	Poiurovskaia Ila, Vlasova NK, Sutugina TF.
1000	Histoacryl (butyl cyanoacrylate) as an ossicular adhesive.	Smyth GD, Kerr AG.
1001	Free tissue patch and cyanoacrylate in corneal perforations.	Hyndiuk RA, Hull DS, Kinyoun JL.

1002	Experimental and clinical studies with the adhesive "histoacryl" in cases of thromboendarterectomy	Szucs J, Gyurko G, Racz I, Szekely I.
1003	Clinical use of tissue adhesives	Kus H.
1004	Experimental studies on the use of tissue adhesives for intestinal anastomoses	Ziaja K.
1005	Use of tissue adhesives in experimental arterial trauma	Kulicki M.
1006	Editorial: Tissue adhesives	Kedra H.
1007	Use of Histoacryl tissue adhesive in vascular surgery	Gyurko G, Ezsely F, Kosa C, Bednarszky Z.
1008	Use in vascular surgery of the tissue adhesive histoacryl.	Gyurko G, Szucs J, Ezsely F, Kosa C, Bednarszky Z., Kluyskens P.
1009	Intraocular use of butyl-2-cyanoacrylate in retinal detachment surgery. A preliminary report.	Spitznas M, Lossagk H, Vogel M, Jousen F.
1010	Histology of bone in gluing with histoacryl	Kluyskens P.
1011	Animal experiments using the tissue adhesive Histoacryl in tympanoplasty	Kastenbauer ER.
1012	Suitability of the tissue adhesive histoacryl in rhinoplasty	Kastenbauer ER.
1013	Experience with the use of tissue adhesives in microvascular surgery.	Sechas MN, Dayadas J, Poulantzas J, Papadimitriou D, Skalkeas G.
1014	Animal experimental studies on the use of tissue adhesives in eye surgery	Richter S, David E.
1015	Joining of blood vessels with the tissue adhesive histoacryl	Zajer J, Dubecz S, Somogyvari K.
1016	Experimental studies on the resorption of tissue adhesives	Haring R, Buchner U.
1017	Ileocolostomy using the histoacryl adhesive	Ihasz M, Refi M, Borzsonyi M, Jakab T, Varga L.
1018	Reconstruction of the auditory ossicles using Histoacryl	Sorensen H.
1019	Bacteriological studies on Histoacryl used as a direct dental pulp capping material	Schmeissner H, Weber HJ.
1020	Restoration of the divided ductus deferens by adhesive material.	Bornemisza G, Furka I.
1021	Postbiopsy splenic bleeding in a dog model: comparison of cauterization, embolization, and plugging of the needle tract.	Choi SH, Lee JM, Lee KH, Kim SH, Lee JY, Han JK, Choi BI.